
# OPSIAL

Your specialized brand in **PERSONAL PROTECTIVE EQUIPMENT** 

# YOUR SAFETY, YOUR PERFORMANCE



# **OPSIAL** YOUR SPECIALIZED BRAND IN PERSONAL PROTECTIVE EQUIPMENT

ARE YOU A PROFESSIONAL IN THE BUILDING AND INDUSTRIAL TRADES LOOKING FOR PERSONAL PROTECTIVE EQUIPMENT THAT COMBINES TECHNICAL FEATURES WITH COMFORT AND STYLE?

Working with you for over 20 years, **OPSIAL offers a complete range of Personal Protective Equipment (PPE) combining technical features with comfort and style.** 

OPSIAL offers solutions adapted to all activities: Industry, Construction, Public works, Logistics, Services, Energy...



To protect you from head to toe

HIGH-PERFORMANCE PRODUCTS

To offer you functionality, comfort and style



To optimize your budget

# A COMMITTED BRAND

To be at your side in the world of tomorrow



Visit www.opsial.com OPSIAL IS THE BEST CHOICE FOR YOUR PERSONAL PROTECTIVE EQUIPMENT

# Protect yourself FROM HEAD TO TOE

# **CONCEPTS AND TECHNOLOGIES**



# HEAD, FACE, RESPIRATORY

- Eye protection
- Hearing & head
- Respiratory
- Welding helmet



# AIR'PRO



# BODY

- Outdoor work
- Rain and cold
- High visibility
- Disposable
- Accessories







# FALL PROTECTION

- Complete kits
- Harness
- Lanyards
- Accessories







# HANDS

- Handling
- Cut-resistantSpecific
- Specific







# HYGIENE

• Workshop hand cleaner







# FEET

- Logistics, Services,
- Second-work construction
- Industries
- Outdoor works, public works







FL zo



# OPSIAL

# **PROTECTION FOR PERFORMANCE**

We believe that your protective equipment can and should be experienced on everyday a daily basis as a mean to **unleash your potential** and **excel as a professional.** 



# **OPSIAL IS COMMITTED TO ITS CUSTOMERS**

**Designing quality products** adapted to the needs of each profession: products that make a difference while remaining accessible.

**Listening to customers** to help them find the perfect product.

To go further with innovations and improvements in technologies and materials.



# **OPSIAL IS A REFERENCE BRAND IN PERSONAL PROTECTIVE EQUIPMENT**



The OPSIAL brand was **created in 2000** by the DESCOURS & CABAUD Group, **leader of the PPE distribution** in France and number 2 in Europe. (Source: Xerfi - Fev. 21)

Our ambition is to **protect all professionals** in their activity and to improve their daily experience.

Recognised as one of the **PPE leaders in France**, OPSIAL designs and provides a complete range of equipment combining **functionality, comfort and style**.

# STRONG VALUES DRIVE US ON A DAILY BASIS





EXCELLENCE

High functionality



Strict selection of raw materials



Producers who share our ethics and values

PASSION



Product development in France

NOUVELLA.

New products every year



Tailor-made customer solutions





16 quality inspectors



Greener together program



A quality and R&D service in France





# OUR COMMITMENTS

TO THE PLANET

# OPSIAL IS DEVELOPING ITS OPSIAL GREENER TOGETHER RANGE AND IS COMMITTED TO REDUCING THE ENVIRONMENTAL IMPACT OF ITS PRODUCTS.

Because we are aware of our impact on the planet, OPSIAL is committed to implement concrete and measurable actions to reduce the environmental impact of our products. This commitment involves a rigorous selection of our suppliers based on social and environmental criteria, as well as the design of products and packaging using more responsible materials.





# **RESPONSIBLE MATERIALS**



Selection of more eco-friendly materials and fibers from more responsible production:

- **Recycled polyester:** reduces plastic waste, polyester production (from petroleum extraction), energy consumption, and water usage.
- **Organic cotton:** cultivated WITHOUT pesticides, insecticides, or chemical fertilizers, and is GMO-free; it better protects the soil, the health of producers, and consumers.

# **RESPONSIBLE PRODUCTION**

**OPSIAL is committed to supporting responsible leather manufacturing worldwide, and that is why we are proud to be members of <u>Leather Working Group/LWG</u>. (www.leatherworkinggroup.com).** 

By purchasing our leather gloves, you are supporting responsible leather manufacturing through LWG.

The Leather Working Group (LWG) is a global multi-stakeholder community committed to building a sustainable future with responsible leather. This non-profit organization promotes best practices and positive social and environmental changes for responsible leather production.

# **RESPONSIBLE PACKAGING**

- Reduction of plastic packaging in favor of recyclable, recycled or from sustainably managed forests: by the end of 2023, OPSIAL will have reduced annual plastic usage by 45 tons through the development of new packaging.
- Use of recycled plastic for packaging our products when cardboard is not suitable.
- Printing with vegetable-based inks: these inks have lower toxicity as they use vegetable oils and natural resins, unlike mineral inks based on petroleum.





MEMBER OF

GROI

# **TABLE OF CONTENTS**

# **HEAD PROTECTION**

| PROTECTIVE HELMETS     | 12 |
|------------------------|----|
|                        | 14 |
| HEARING PROTECTION     | 21 |
| RESPIRATORY PROTECTION | 22 |

# HAND PROTECTION

| LIGHT-MATERIAL HANDLING            | 36 |
|------------------------------------|----|
|                                    |    |
| MEDIUM AND HEAVY-MATERIAL HANDLING | 42 |
| CUT-RESISTANT GLOVES               | 46 |
| SPECIFIC GLOVES                    | 54 |
| FIRST GLOVES                       | 57 |
| HYGIENE AND CLEANLINESS            | 58 |

# **BODY PROTECTION**

| WORKWEAR                       | 62 |
|--------------------------------|----|
| RAIN AND COLD                  | 69 |
| HIGH-VISIBILITY CLOTHING       | 80 |
| SHORT-TERM USE AND ACCESSORIES | 86 |

# **FOOT PROTECTION**

| LOGISTICS, SERVICES, FINISHING WORK | 90    |
|-------------------------------------|-------|
| VERSATILE                           | 94    |
| CONSTRUCTION-OUTDOOR                | 95    |
| INDUSTRY                            | 99    |
| WELDING                             | 101   |
| AGRI-FOOD                           | 101   |
| FIRST RANGE                         | . 102 |

# FALL ARREST EQUIPMENT

| FALL ARREST KITS            | ł |
|-----------------------------|---|
| FALL ARREST HARNESS         | • |
| EQUIPMENT SOLD INDIVIDUALLY | 5 |







# HEAD PROTECTION

| PROTECTIVE HELMETS     | 12 |
|------------------------|----|
| EYE PROTECTION         | 14 |
| HEARING PROTECTION     | 21 |
| RESPIRATORY PROTECTION | 22 |

# **PROTECTIVE HELMETS**

# SAFETY HELMET V-PRO





# OPSIAL

# V-PRO protective helmet

With the V-PRO helmet, opt for a **top-of-the-range protective helmet with unrivalled comfort.** 

This helmet is made in France by MSA, world leader in head protection.



YOUR SAFETY, YOUR PERFORMANCE



## SAFETY SPECTACLES OP LINE CLEAR WITH TEMPLES

Impact protection

# SAFETY SPECTACLES OP LINE OGT CLEAR W/TEMPLES



#### EN 166 / EN 170

Safety glasses protect against impacts with temples. Monobloc clear polycarbonate panoramic lens, treated with UV and scratch-resistant coatings, with integrated side protections and brow coverage Blue nvlon frame.

Adjustable temple length (3 positions) and pivoting for optimised

adaptation to the user's face. Weight: 32g.

| Frame colour | Lens tint  |
|--------------|------------|
| blue         | colourless |



# EN 166 / EN 170

P702G6X

Safety glasses with temples for impact protection. Monobloc clear polycarbonate lens with a wide field of vision, treated with anti-UV and anti-scratch coatings, with integrated side protections and brow coverage. 100% recycled nylon temples, adjustable in length (3 positions)

and pivotable for optimised adaptation to the user's face. Recycled plastic packaging. Weight: 32g.

| Frame colour | Lens tint  |
|--------------|------------|
| green        | colourless |
|              |            |

# SAFETY SPECTACLES OP ONE CLEAR WITH TEMPLES

Impact protection



# SAFETY GLASSES OP ONE OGT CLEAR WITH TEMPLES

Impact protection



#### EN 166 / EN 170

Safety glasses protect against impacts with side temples. Single-piece, clear polycarbonate panoramic lens, treated with anti-fogging, anti-UV, and anti-scratching treatment, with integrated side protections.

nylon and polycarbonate temples, 100% recycled, adjustable in length (3 positions) and pivotable. Packaging made from recycled plastic.

Weight: 24q.

| Frame colour | Lens tint  |
|--------------|------------|
| green        | colourless |

#### EN 166 / EN 170

Safety glasses protect against impacts with temples. Monobloc clear polycarbonate panoramic lens, treated with antifogging, UV, and scratch-resistant coatings, with integrated side protections.

Blue PC temples adjustable in length (3 positions) and pivotable. Weight: 24g.

| Frame colour | Lens tint  |
|--------------|------------|
| blue         | colourless |

Microfibre case and lanyard available on request for all models.

# SPECTACLES OP VISO OGT CLEAR WITH TEMPLES







# EN 166 / EN 170

Safety glasses protect against impacts with temples. Clear polycarbonate lens panoramic, treated with anti-fogging, anti-scratch, and anti-UV treatment. Clear PC temples with wide side protections. Weight: 26g.

| Frame colour | Lens tint  |
|--------------|------------|
| colourless   | colourless |

# EN 166 / EN 170

green

Safety glasses with temples for impact protection. Panoramic field of vision lens made of clear polycarbonate, treated with anti-UV coating. 100% recycled polycarbonate temples. Wide side protections. Recycled plastic packaging. Weight: 23g Frame colour Lens tint

colourless

#### SAFETY SPECTACLES OP SAFE CLEAR WITH TEMPLES

Impact protection

## SAFETY SPECTACLES OP CLEAN CLEAR WITH TEMPLES P702G75

Impact protection



between -5°C and +55°C.

#### EN 166 / EN 170

Safety glasses protect against impacts with temples. Monobloc clear polycarbonate lens with a wide field of vision, treated with anti-fogging, anti-UV, and anti-scratch properties. Dual-material temples in black PC + anti-slip PVC. Non-slip and adjustable nose bridge. Weight: 30g.

| Frame colour | Lens tint  |
|--------------|------------|
| grey/black   | colourless |



#### EN 1661 / EN 170

Safety glasses protect against impacts with temples. Monobloc clear polycarbonate lens, treated with anti-UV and anti-scratch coatings, with integrated side protections. Clear polycarbonate temples with orange anti-slip PVC insert. Flexible end tips. Weight: 25g.

| Frame colour | Lens tint  |
|--------------|------------|
| colourless   | colourless |

P702G74

# SAFETY SPECTACLES OP VIZ CLEAR WITH TEMPLES

P702G70

Impact protection

# SAFETY SPECTACLES OP STYL CLEAR WITH TEMPLES

Protection against impact and solar radiation

P702G72

solar



# EN 166 / EN 170

Safety glasses protect against impacts with temples. Clear polycarbonate lens, treated with anti-fogging, UV, and scratch-resistant coatings, with integrated side protections. Black polycarbonate temples. Non-slip nose pads. Panoramic field of vision. High-visibility trims. Weight: 34g.

| Frame colour | Lens tint  |
|--------------|------------|
| black        | colourless |

## SAFETY SPECTACLES OP RUN CLEAR W/ TEMPLES

Impact protection



# SAFETY SPECTACLES OP FEEL CLEAR W/TEMPLES

Safety glasses protect against impacts and solar radiation.

Lens tint

colourless

solar

Clear or tinted polycarbonate lenses, treated with anti-fogging and anti-UV coatings, with integrated side protections. Non-slip nose bridge and temples for enhanced comfort during

Impact protection

P702G6V

use.

Weight: 28g

Frame colour

black

black

EN 166 / EN 170 / EN 172



#### EN 166 / EN 170 / EN 172

Safety glasses protect against impacts and solar radiation, with side temples.

polycarbonate lenses, treated with anti-fogging (for clear and smoke versions), anti-UV, and anti-scratch coatings. Bronze-coloured PC temples with anti-slip rubber inserts. Available in 3 lens finishes: mirror, clear, and tinted (depending on the model). Weight: 28g.

| Lens tint  |
|------------|
| colourless |
| solar      |
| mirror     |
|            |

#### EN 166 / EN 170 / EN 172

Safety glasses protect against impacts and solar radiation. Polycarbonate temples. Extremely lightweight. Clear or tinted polycarbonate lens treated with anti-fogging, antiscratch, and anti-UV properties. Anti-slip nylon inserts. Poids: 20g.

| Frame colour | Lens tint  |
|--------------|------------|
| colourless   | colourless |
| green        | solar      |
| j. + + · ·   |            |

# P702118

colourless

# SAFETY SPECTACLES OPTIMAL CLEAR WITH STRAP

Protection against impact, dust and liquid aerosols P702I9Q SAFETY SPECTACLES OP GUEST CLEAR Impact protection

P702G6W



#### EN 166 / EN 170

Safety glasses protect against impacts, dust, liquid aerosols, and flame welding.

Supplied with temples and headband.

Monobloc polycarbonate lens, clear, treated with anti-UV, anti-

fog, and anti-scratch coatings. Adjustable polycarbonate temples covered with non-slip PVC. Flexible nose bridge.

Lens tint: clear.

Weight: 41g.

| Frame colour | Lens tint  |
|--------------|------------|
| black        | colourless |



Ideal for occasional

# EN 166 / EN 170

Safety over-glasses protect against impacts with side temples. Single piece clear polycarbonate panoramic lens, treated with anti-UV coating.

Clear polycarbonate temples with integrated side protections. Ideal for occasional use. Suitable for all eyeglass wearers.

Weight: 44g.

| Frame colour | Lens tint  |
|--------------|------------|
| colourless   | colourless |



# **OPSIAL**

# **OP'TIMAL** goggles

Protective foam inside to prevent dust from penetrating.

Pivoting temples for a perfect fit for all body shapes.







ANTI-IMPACT 120 m/s

Can be used with temples or headband (included)

YOUR SAFETY, YOUR PERFORMANCE

WFIGHT

# SAFETY GOOGLES OP MASK CLEAR WITH STRAPS

Protection against impact, dust and liquid aerosols



xcellent field of vision and entilated frame. Ideal for veryday use.

#### EN 166 / EN 170

Safety glasses-mask protects against impacts, dust, and liquid aerosols. Clear polycarbonate lens, treated with anti-UV coating. Ventilated frame in clear PVC. Adjustable elastic headband for optimal comfort. Integrated bridge piece. Weight: 92g.

Lens tint

colourless

# SAFETY GOOGLES OP GUARD WITH VISOR

Protection against impact, dust and liquid aerosols

P702I90

P702G6T



# SAFETY GOOGLES OP FACE CLEAR WITH STRAPS

Protection against impact, dust and liquid aerosols

P702G6Z



Optimised protection at the best price for occasional use.

EN 166 / EN 170

Protective goggles-mask protects against impacts, dust, and liquid aerosols. Clear polycarbonate screen. Ventilated PVC frame. Adjustable elastic strap. Integrated side protections and nose bridge. Weight: 77g.

Lens tint colourless

# **EYE PROTECTION - WELDING**

# SAFETY SPECTACLES OPTIMAL SMOKE IR5 WITH STRAP

P702JUW Protection against impact, dust, liquid aerosols and flame welding



these goggles protect against shocks, dust and

#### EN 166 / EN 169

Safety glasses protect against impacts, dust, liquid aerosols, and flame welding.

Delivered with temples and headband.

Monobloc IR5 tinted polycarbonate lens treated with anti-UV, antiscratch, and anti-fogging properties.

Adjustable polycarbonate temples with PVC anti-slip coating. Flexible nose bridge.

Weight: 41g.

Welding tint

5

## WELDING HELMET AUTOMATIC CLEAR VIEW - O'PANTHER

Welding hood - electric arc

P702KX6



#### OPTICAL CLASS: 1/1/1/1 EN 379 / EN 166 / EN 175

Welding helmet with LCD (Liquid Crystal Display) for automatic darkening.

Enhanced comfort and safety with liquid crystal technology and clear vision. 4 sensors - clear vision.

Wide field of view: 100 x 60 mm (6000 mm<sup>2</sup>).

Adjustable headgear with adjustment knob and sweatband.

Adjustable sensitivity level for improved arc detection. Powered by solar cells and batteries. Weight: 535 g.

#### Screen dimensions (L x W)

100 x 60 mm

# WELDING SAFETY SPECTACLES OP WELD W/TEMPLES

Protection against impact, dust, liquid aerosols and P702G73 flame welding



welding for common use.

#### EN 166 / EN 169

Safety glasses protect against impacts, dust, liquid aerosols, and

fame welding. Monobloc IR 5 tinted polycarbonate lens, treated with anti-UV and anti-scratch coatings, with integrated side protections. Adjustable polycarbonate temples with non-slip PVC. Weight: 28g.

Welding tint

5

# WELDING HELMET AUTOMATIC CLEAR VIEW - O'RACING

Welding hood - electric arc

P702KTK

HEAD PROTECTION



MMA, TIG, MIG welding: plasma cutting, and grinding.Wide field

#### OPTICAL CLASS: 1/1/1/1 EN 379 / EN 166 / EN 175

Liquid Crystal Display (LCD) welding hood with automatic darkening Enhanced comfort and safety with liquid crystal technology and clear vision. 4 sensors - clear vision.

Wide field of view: 100 x 60 mm (6000 mm<sup>2</sup>).

Adjustable headgear with adjustment dial and sweatband. Adjustable sensitivity level for better arc detection. Powered by solar sensors and batteries. Weight: 535 g.

#### Screen dimensions (L x W)

100 x 60 mm

# **EYE PROTECTION - WELDING**

# FRONT COVER LENS (X3) FOR WELDING HELMET

Accessories

rotection extérieur

#### EN 166

Outdoor protective screen for automatic darkening welding hood, sold in packs of 3. Compatible with O'PANTHER and O'RACING welding hood.

## SWEAT ROLL FOR WELDING HELMET Accessories



Pack of 2 sweatbands. For O'PANTHER and O'RACING Welding Hoods.

# **OPSIAL HEADBAND FOR WELDING HELMET**

Accessories

P702KTN

P702KTL



Headband for O'PANTHER and O'RACING welding hoods.

# SAFETY

# **O** Welder's equipment

The welder's personal protective equipment must include a welding helmet or goggles with lenses adapted to the welding process.

For flame cutting, welding and brazing with a torch, welders may wear goggles with side shields fitted with a coloured filter. They must also be worn by anyone working within a 30m radius.

Welding goggles are also suitable for slag pitting and weld sanding operations. In the event of electric arc welding, IR and UV rays are so intense that goggles are no longer sufficient, so a welding helmet with an appropriate filter must be worn.

| EXPLANATION OF THE DIFFERENT OPTICAL CLASSES |  |
|--|--|
| N. EN379 Optical Class (1/1/1/1)             |  |
| Grade level : 1 = Best 2 = Moderate 3 = Poor |  |
| 1 <sup>st</sup> index                        | Welding shade uniformity over the entire field of vision.              |
| 2 <sup>nd</sup> index                        | Light diffraction through the cell.                                    |
| 3 <sup>rd</sup> index                        | Light transmission.  |
| 4 <sup>th</sup> index                        | Angle of dependence on the edge of the 4 sides of the field of vision. |

P702KTM

# HEARING PROTECTION




# Hearing protection

Since 2016, hearing protection equipment has moved from category II to **category III** in the new PPE Regulation (EU) 2016/425. The irreversible nature of the health risks involved explains this new consideration.

# **Protection is essential!**


# ♦ Ear plugs

The frequency and nature of checks are also important to consider. The interval between two checks can be reduced if the equipment is subjected to severe stress or depending on the conditions of use.



# **RESPIRATORY PROTECTION**

# **CHOOSE** CAREFULLY



|                           |                                     | P3 | A2P3 | ABE1P3 | ABEK1P3 | P3 WELDING<br>FUMES |
|---------------------------|-------------------------------------|----|------|--------|---------|---------------------|
|                           |                                     |    | A    |        |         |                     |
| Agriculture               | Fine dust                           | •  |      |        |         | •                   |
|                           | Pesticides                          |    | •    |        |         |                     |
| Automotive                | Fumes from paints                   |    | •    |        |         |                     |
|                           | Silica dust                         | •  |      |        |         |                     |
| Construction              | Fumes from paints                   |    | •    |        |         |                     |
| construction              | Asbestos                            | •  |      |        |         |                     |
|                           | Concrete dust                       | •  |      | •      | •       | •                   |
|                           | Stone dust                          | •  |      |        |         | •                   |
| Building equipment        | High dust concentration             | ٠  |      |        |         | •                   |
| building equipment        | Wood dust                           | •  |      |        |         | •                   |
|                           | Cement dust                         | •  |      |        |         | •                   |
| Food industry             | Poultry                             | •  |      |        |         | •                   |
| roou muustry              | Milk powders                        | •  |      |        |         | •                   |
|                           | Glass fibres                        | •  |      |        |         | •                   |
|                           | Cyclohexane                         |    |      | •      | •       |                     |
|                           | Composite fibres                    | •  |      |        |         | •                   |
|                           | Solvents (excluding ammonia)        |    | •    | •      | •       |                     |
| Manufacturing plant       | Flue pipes                          | •  |      |        |         | •                   |
|                           | Chlorine                            |    |      | •      | •       |                     |
|                           | Formaldehyde                        |    |      | •      | •       |                     |
|                           | Sulphuric acids (gases and powders) |    |      | •      | •       |                     |
|                           | Chemical Ammonia                    |    |      |        | •       |                     |
| Mining                    | Coal dust                           | •  |      |        |         | •                   |
| Mining                    | Silica dust                         | •  |      |        |         | •                   |
|                           | Metals (all)                        | •  |      |        |         | •                   |
| Welding &<br>Metalworking | Metal painting (repair)             |    |      | •      | •       |                     |
| rictationting             | Welding fumes                       |    |      |        |         | •                   |

# **AIR'PRO** unique breathing comfort



# AIR'PRO OPSIAL

## DISPOSABLE MASK FOLDABLE WITH HIGH FILTRATION TYPE II

Single-use respirator masks



#### EN 14683 - TYPE II

Non-reusable 3-ply mask made of non-woven polypropylene. Medical device - Type II according to NF EN14683:2019. 99% bacterial filtration efficiency. Nose clip. Quick and easy to put on. Box of 50 masks.



#### DISPOSABLE MASK FOLDABLE 3 PANEL MASK AIR'FOLD OGT FFP2 NR D

Foldable single-use respirator masks



ending and effective entral valve.

#### EN 149 + A1

Foldable FFP2 NR D Filtering Half-Mask for Single Use. Stops 94% of dust particles (average diameter of 0.6 microns). High-efficiency central valve for reduced CO2 buildup. Adjustable strap system to fit all face shapes. Elastic bands made of recycled plastic, durable and adjustable. Spacious interior and dense, high-quality nose foam for added comfort. Usage limit: 12 times the VME.

Individually packed in a compostable pouch made from plantbased materials.

Recycled kraft box containing 10 masks.

## Available from the size S to M/L.

Valve

with Valve without Valve

# DISPOSABLE MASK FOLDABLE 3 PANEL MASK AIR'FOLD OGT FFP3 D

Foldable single-use respirator masks



#### Practical 3-sided bending and effective central valve.

#### EN 149 + A1

Foldable FFP3 D Filtering Half-Mask for Single Use. Stops 99% of dust particles (average diameter of 0.6 microns). High-efficiency central valve for reduced CO2 buildup. Adjustable strap system to fit all face shapes. Elastic bands made of recycled plastic, durable and adjustable. Spacious interior and dense, high-quality nose foam for added comfort. Usage limit: 12 times the VME.

Individually packed in a compostable pouch made from plantbased materials. Recycled kraft box containing 10 masks

#### Recycled krait box containing to mask

Available from the size S to M/L.

| Valve      |  |
|------------|--|
| with Valve |  |

P70219H

P70C2ZB

P70YF4G

24

# FOLDED MASK AIR POCKET FFP1D WITH/WITHOUT VALVE

Foldable single-use respirator masks



# FOLDED MASK AIR POCKET FFP2 D WITH/ WITHOUT VALVE

Foldable single-use respirator masks



# FOLDED MASK AIR POCKET FFP3 D WITH VALVE

Foldable single-use respirator masks



P702I9X

P702I9Y

P702J7V

## CUP MASK AIR FIT FFP1D WITH/ WITHOUT VALVE

Single-use cup-shaped respirator masks



#### EN 149 + A1

Disposable FFP1 NR D cup-shaped mask. Lightweight and comfortable with or without a valve. Stops 80% of particles (average diameter of 0.6 microns). Pre-Shaped nose with nasal foam protection. Double elastic strap, adjustable and detachable. Usage limit: 4 x VME. Box of 10 masks.



P702I9U



#### EN 149 + A1

Disposable FFP3 NR D cup-shaped mask. Lightweight and comfortable with a valve. Stops 99% of particles (average diameter of 0.6 microns). Pre-Shaped nose with nasal foam protection. Double elastic strap, adjustable and detachable. Usage limit: 50 x VME. Box of 10 masks.

CUP MASK AIR FIT FFP3D WITH VALVE

Single-use cup-shaped respirator masks



P70219W

# <section-header><section-header>

#### EN 149 + A1

Non-reusable thermoShaped FFP2 NR D cup-shaped mask. Lightweight and comfortable, with or without a valve. Filters out 94% of dust particles (average diameter of 0.6 microns). PreShaped nose clip. Double elastic, adjustable, and detachable band. Box of 10 masks.

# Valve

| with Valve    |
|---------------|
| without Valve |
|               |



# CHOOSE CAREFULLY

OPSIAL dust-proof filtering half-face masks, available with and without an exhalation valve, provide users with the right protection for a variety of applications.

The colour identifies the level of protection (FFP1 = yellow, FFP2 = blue, FFP3 = red).



# AIRPRO P3 HALF-MASK

Reusable half-face respirator masks



#### EN 140 / EN 143 + A1 P3 RD

Reusable, compact, lightweight, and comfortable half-mask. P3 protection against highly toxic particles and toxic solid and/ or liquid aerosols, stopping 99.95% of dust particles (with an average diameter of 0.3 microns).

Unique and patented filter technology: extremely easy to inhale. Compact design suitable for glasses wearers and a welding hood.

Supplied with integrated replaceable filters. Weight: 130g.

Available from the size S/M to M/L.



Reusable full-face respirator masks



#### Integrated goggles-mask.

#### EN 140 / EN 143 + A1 P3 RD / EN 166 : 2 F.K.N / EN 166 3.F

Reusable P3 half-mask, compact, lightweight, and comfortable. Stops 99.95% of dust particles (with an average diameter of 0.3 microns).

The integrated mask visor conforms to the shape of the face, protects the eyes, and prevents fogging. Unique and patented filter technology: extremely easy to inhale. Weight: 209g.

Available from the size S/M to M/L.

# AIRPRO A2P3 HALF-MASK

Reusable half-face respirator masks

P702KCI

P702KCF

# AIRPRO INTEGRA A2P3 FACEMASK

Reusable full-face respirator masks

P702LFT

Made in Europe

\*\*\*



99.95% of particles stopped + Protection against pesticides, paints, and solvents.

#### EN 140 / EN 14387 + A1 A2P3 RD

Half-mask A2P3, compact, lightweight, and comfortable. A2 protection against pesticides, paints, and solvents. P3 protection against highly toxic particles and toxic solid and/or liquid aerosols.

Unique and patented filter technology: extremely easy to inhale. Compact design suitable for glasses wearers.

Hugs the face shape. Supplied with integrated replaceable filters. Weight: 374g.

Available from the size S/M to M/L.



Integrated goggles-mask.

#### EN 140 / EN 166 : 2 F.K.N / EN 166 3.F / EN 14387 + A1 A2P3 RD

Reusable half-mask A2P3, compact, lightweight, and comfortable. Integrated goggles: protects the eyes and prevents fogging. A2 protection against pesticides, paints, and solvents. P3 protection against highly toxic particles and toxic solid and/or liquid aerosols.

Unique and patented filter technology: extremely easy to inhale. Hugs the face shape.

Comes with integrated replaceable filters. Weight: 441g.

Available from the size S/M to M/L.

# RESPIRATORY PROTECTION

# **AIRPRO ABE1P3 HALF-MASK**



#### EN 140 / EN 14387 + A1 / EN 405 + A1

Reusable ABE1P3 half-mask, compact, lightweight, and comfortable. ABE1 protection against gases and vapors excluding ammonia (organic vapors, inorganic vapors, acidic gases).

P3 protection against highly toxic particles and toxic solid and/or liquid aerosols

Stops 99.95% of dust particles (with an average diameter of 0.3 microns). Unique and patented filter technology: extremely easy to inhale. Compact design suitable for glasses wearers.

Hugs the face shape.

Comes with integrated replaceable filters. Weight: 270g.

Available from the size S/M to M/L.

#### **AIRPRO INTEGRA ABE1P3 FACEMASK**

Reusable full-face respirator masks

P70HJ7W



#### EN 166 / EN 170 / EN 140

Reusable ABE1P3 half-mask, compact, lightweight, and comfortable.

Integrated goggles: protects the eyes and prevents fogging. ABE1 protection against gases and vapors excluding ammonia (organic vapors, inorganic vapors, acidic gases). P3 protection against highly toxic particles and toxic solid and/or

liquid aerosols.

Stops 99% of dust particles (with an average diameter of 0.3 microns).

**AIRPRO INTEGRA ABEK1P3 FACEMASK** 

Unique and patented filter technology: extremely easy to inhale. Hugs the face shape. Comes with integrated replaceable filters.

Weight: 337g.

Available in size M/L.

# **AIRPRO ABEK1P3 HALF-MASK** Reusable half-face respirator masks



/ acidic gases / vapors.

P702KCK

#### EN 140 / EN 14387 + A1 ABEK1P3 RD

Reusable half-mask ABEK1P3 compact, lightweight, and comfortable.

ABEK1 protection against gas and vapors (organic vapors, inorganic vapors, acidic gases, ammonia). P3 protection against highly toxic particles and toxic solid and/or liquid aerosols.

Unique and patented filter technology: extremely easy to inhale. Compact design suitable for glasses wearers.

Hugs the face shape.

Comes with integrated replaceable filters. Weight: 374g.

Available from the size S/M to M/L.



#### EN 140 / EN 166 : 2 F.K.N / EN 166 3.F / EN 14387 + A1 ABEK1P3 RD

Reusable half-mask ABEK1P3, compact, lightweight, and comfortable.

Integrated goggles: protects the eyes and prevents fogging. ABEK1 protection against gases and vapors (organic vapors, inorganic vapors, acidic gases, ammonia).

P3 protection against highly toxic particles and toxic solid and/or liquid aerosols.

Unique and patented filter technology: extremely easy to inhale. Hugs the face shape.

Comes with integrated replaceable filters. Weight: 441q.

Available from the size S/M to M/L.

# **RESPIRATORY PROTECTION - WELDING**

# **AIRPRO P3 WELDING HALF-MASK**



#### EN 140 / EN 143 + A1 P3 RD

Reusable welding half-mask, P3, compact, lightweight, and comfortable. P3 protection against highly toxic particles and toxic solid and/or

liquid aerosols: welding fumes. Unique and patented filter technology: extremely easy to inhale. Compact design suitable for glasses wearers and a welding

hood.

Comes with integrated replaceable filters. Weight: 133g.

AIR'PHL

you'll feel the difference

Available from the size S/M to M/L.



# **OPSIAL**

**Poor sealing** 

Fog

Not adjustable

Short-term use

No fog

Hypoallergenic

Adapts to all faces

**Reusable and replaceable** high-efficiency (>99.9%) HESPA™ filters



# **REDUCE COSTS BY 50%** Try AIR'PRO and forget about disposable masks

.atex-free Silicone-free Odourless

**Pleated P3 filter** technology better efficiency



Large central valve to exhale efficiently. CO2 and heat can escape



# AIRPRO P3 REPLACEMENT FILTER KIT

Reusable respirator masks, accessories

P702KCG

# **AIRPRO A2P3 REPLACEMENT FILTER KIT**

#### Reusable respirator masks, accessories

P702KCJ

Made in Europe



EN 143 + A1 P3 RD

Replacement P3 filters for AIR'PRO P3 half-masks and AIR'PRO INTEGRA P3 masks.

| Type of protection | Type of contaminant |
|--------------------|---------------------|
| P3 R D             | dust                |

#### EN 14387 + A1 A2P3 RD

Replacement filters for AIR'PRO and AIR'PRO INTEGRA halfmasks A2P3 (also compatible with AIR'PRO ABEK1P3 and AIR'PRO INTEGRA ABEK1P3). Airflow diffusion system inside the filter for full use of the activate carbon.

| Type of protection | Type of contaminant |
|--------------------|---------------------|
| A2P3 R D           | gas/steam           |

# AIRPRO ABE1P3 REPLACEMENT FILTER KIT

Reusable respirator masks, accessories

P70YVDY

# **AIRPRO ABEK1P3 REPLACEMENT FILTER KIT**

Reusable respirator masks, accessories

P702KCL

Made in Europe

Ammonia and Derivatives / Acidic Gases / Vapors /



99.95 % of particles stopped. Protection against welding fumes.

#### EN 14387

Replacement filters for AIR'PRO and AIR'PRO INTEGRA halfmasks ABE1P3.

| Type of protection | Type of contaminant |  |  |  |  |
|--------------------|---------------------|--|--|--|--|
| ABE1P3 R D         | gas/steam           |  |  |  |  |

EN 14387 + A1 ABEK1P3 RD

Replacement filters for AIR'PRO and AIR'PRO INTEGRA halfmasks ABEK1P3 (also compatible with AIR'PRO A2P3).

| Type of protection | Type of contaminant |  |  |  |  |
|--------------------|---------------------|--|--|--|--|
| ABEK1P3 R          | gas/steam           |  |  |  |  |

# **RESPIRATORY PROTECTION - WELDING**

# **P3 R WELDING REPLACEMENT FILTERS**

Reusable breathing masks

P702LWF

# AIRPRO INTEGRA PEEL OFF LENS COVERS (BAG10)

Reusable respirator masks, accessories

P702KW1





#### EN 143 + A1 P3 RD

Replacement filters for AIR'PRO P3 welding fume masks.

| Type of protection | Type of contaminant |  |  |  |  |
|--------------------|---------------------|--|--|--|--|
| P3 R               | dust                |  |  |  |  |

## EN 13463-1

Peelable protective films for the mask visor of AIRPRO INTEGRA halfmasks.

# AIRPRO DUST MASK CARRY BAG

Reusable respirator masks, accessories

P702KCH



EN 13463-1 Storage pouch for AIR'PRO P3 half-mask.



**AIRPRO INTEGRA HALF MASK CARRY BAG** 

EN 13463-1 Storage pouch for AIR'PRO INTEGRA half-mask. P702KW2



# HAND PROTECTION

| ) |
|---|
| 5 |
| ŀ |
| , |
| 8 |
|   |

6

NIN N

TVISOLS IN HEARS

Sal

ET ....

# Ranges of gloves

|  | ENVIRONMENT                     | REFERENCE             | CODE P             | MATERIAL              | COATING /<br>TREATMENT | GAUGE | EN 388         | EN 407 | EN 511 |
|--|---------------------------------|-----------------------|--------------------|-----------------------|------------------------|-------|----------------|--------|--------|
|  |                                 | HANDSKIN OREGON       | P702158            |                       |                        |       | 2121X          |        |        |
|  |                                 | HANDSKIN IDAHO        | P701479            | LEATHER               |                        |       | 2122X          |        |        |
| N N  |                                 | HANDLITE 195G         | P70ANKT            | POLYESTER             |                        | 13    | 3121X          |        |        |
| DLI  |                                 | HANDLITE 195NR        | P70H0H6            |                       |                        | 13    | 3121X          |        |        |
| Z  | DRY ENVIRONMENT                 | HANDLITE 195B         | P70R9RH            |                       |                        | 13    | 3121X          |        |        |
| DRY ENVIRONMENT DAMP ENVIRONMENT DAMP ENVIRONMENT DAMP AND/OR OILY ENVIRONMENT | HANDLITE 100B                   | P701112               |                    | PU                    | 13                     | 013XX |                |        |        |
|  |                                 | HANDLITE 200G         | P702708            |                       |                        | 13    | 4131X          |        |        |
| CIS  |                                 | HANDLITE 200B         | P702707            | NYLON                 |                        | 13    | 4131X          |        |        |
| ШШ   |                                 | HANDLITE FIT          | P702079            |                       |                        | 18    | 2121X          |        |        |
| 6  | DAMP ENVIRONMENT                | HANDGRIP 500L         | P7021K3            | NYLON                 | LATEX                  | 15    | 2132X          |        |        |
| AN   |                                 | HANDLITE 300N         | P702723            | POLYAMIDE             |                        | 13    | 4131X          |        |        |
| AL   |                                 | HANDGRIP PLUS         | P702LG4            | NYLON                 |                        | 13    | 4121X          |        |        |
| IN I   |                                 | HANDLITE OGT NIT      | P70R89K            | RECYCLED POLYESTER    |                        | 15    | 4X21X          |        |        |
| T.   |                                 | HANDLITE 410N         | P702LK0            | POLYAMIDE             | NITRILE                | 15    | 4121X          | X1XXXX |        |
| Σ  | DAMP AND/OR OILY<br>ENVIRONMENT | KYOLITE 320N          | P702K30            | KYORENE®              |                        | 15    | 4X21A          | X1XXXX |        |
| ÷  | ENVIRONMENT                     | HANDLITE 303N         | P701594            | POLYAMIDE             |                        | 13    | 3121X          |        |        |
| Ë  |                                 | HANDGRIP 404N         | P702D0C            | NYLON                 |                        | 13    | 4121X          |        |        |
|  |                                 | HANDGRIP VIZ          | P702080            | POLYESTER             | WATER-BASED PU         | 13    | 3131X          |        |        |
|  |                                 | HANDLITE 444N         | P70RPH3            | POLYAMIDE             | NITRILE                | 18    | 4122X          |        |        |
| _  |                                 | HANDSKIN TEXAS        | P702G6N            |                       |                        |       | 4133X          |        |        |
| MEDIUM AND HEAVY-MATERIAL<br>HANDLING  |                                 | HANDSKIN ARIZONA      | P701219            |                       |                        |       | 2122X          |        |        |
|  | DRY ENVIRONMENT                 | HANDSKIN ARIZONA GOLD | P701207            | LEATHER               |                        |       | 2122X          |        |        |
|  |                                 | HANDSKIN KANSAS       | P701218            |                       |                        |       | 2122X          |        |        |
|  |                                 | HANDSKIN KANSAS GOLD  | P701222            |                       |                        |       | 2122X          |        |        |
| <b>I</b>   |                                 | HANDGRIP C150         | P700816            |                       |                        | 10    | 2143X          |        |        |
| He   |                                 | HANDGRIP PREMIUM      | P702LG5            | COTTON/POLYESTER      | LATEX                  | 10    | 3242X          |        |        |
| AN   | DAMP ENVIRONMENT                | HANDGRIP 505L         | P702LG9            | NYLON                 |                        | 13    | 3142X          |        |        |
| I AI   |                                 | HANDSKIN MONTANA      | P702009            |                       |                        |       | 2122X          | X121XX |        |
| 2  |                                 | HANDSKIN DAKOTA       | P702008            | LEATHER               | WATER REPELLENT        |       | 2122X          | X121XX |        |
| B  | DAMP AND/OR OILY                | MANUMAX               | P702790            | COTTON                |                        |       | 4111X          |        |        |
| Σ  | ENVIRONMENT                     | SPIDER LITE           | P702D0E            | POLYESTER             | NITRILE                | 15    | 4131XP         |        |        |
|  |                                 | HANDSAFE 610B         | P702JED            |                       | PU                     | 13    | 4342B          |        |        |
|  |                                 | HANDSAFE 610G         | P702JEC            | DYNEEMA DIAMOND®      |                        | 13    | 4342B          |        |        |
|  |                                 | HANDSAFE XP 631       | P702LQM            | HPPE - MINERAL FIBRES |                        | 18    | 4X42B          |        |        |
|  |                                 | HANDSAFE 730G         | P702LQI            | HPPE - HPPE FIBRES    |                        | 13    | 4X43C          |        |        |
|  |                                 | HANDSAFE XP 731       | P702LQN            | HPPE - MINERAL FIBRES | PU                     | 18    | 4X43C          |        |        |
|  |                                 | HANDSAFE 605J PLUS    | P702NQU            | HPPE                  |                        | 13    | 4X42C          |        |        |
|  |                                 | CUT-RESISTANT SLEEVE  | P702KIA            | HPPE - SPANDEX        |                        | 13    | 3X4XC          |        |        |
|  | DRY ENVIRONMENT                 | HANDSAFE 705G         | P702202            | CIRSIUM®              | PU                     | 13    | 4X43D          |        |        |
|  |                                 | HANDSAFE 830G         | P702LQJ            | HPPE - HT FIBRES      |                        | 13    | 4X43D          |        |        |
|  |                                 | HANDSAFE XP 831       | P702LQ0            | HPPE - MINERAL FIBRES |                        | 18    | 4X42D          |        |        |
| CUT RESISTANCE   |                                 | HANDSAFE 930G         | P702LQK            | HPPE - HT FIBRES      |                        | 13    | 4X43E          |        |        |
| A  |                                 | HANDSAFE XP 931       | P702LQ9            | HPPE - MINERAL FIBRES | PU                     | 18    | 4X43E          |        |        |
| SIS  |                                 | HANDSAFE 960G         | P702LQL            |                       |                        | 13    | 4X43F          |        |        |
| SES  |                                 | HANDSAFE 960G/ML/RP   | P70IELS            | HPPE - HT FIBRES      |                        | 13    | 4X43F          |        |        |
| Ę  |                                 | HANDSAFE XP 961       | P702LQQ            | HPPE - MINERAL FIBRES |                        | 18    | 4X43F          |        |        |
| ರ  | DAMP ENVIRONMENT                | HANDGRIP KEV          | P702LG6            | KEVLAR®               | Latex                  | 10    | 3X44C          | X2XXXX |        |
|  | DAMP ENVIRONMENT                | KYOSAFE 620 N         | P702K2Z            |                       |                        | 15    | 4X42B          | X1XXXX |        |
|  |                                 | KYOSAFE 720N          | P702K2Y            |                       |                        | 13    | 4X42C          | X1XXXX |        |
|  |                                 | KYOSAFE XP 721 N      | P702LZX            | <b>KYORENE®</b>       |                        | 18    | 43310          |        |        |
|  |                                 | KYOSAFE XP 821N       | P702LZW            |                       |                        | 18    | 4342D          | X1XXXX |        |
|  |                                 | HANDSAFE 707N         | P702160            | HPPE                  | NITRILE                | 13    | 4X43D          |        |        |
|  |                                 | KYOSAFE XP 807N       | P702100            | KYORENE®              |                        | 18    | 4442D          | X1XXXX |        |
|  |                                 | HANDSAFE XP 907N      | P70ZKWT            |                       |                        | 15    | 4442D<br>4X43F | XIXXXX |        |
|  |                                 | HANDSAFE XP 907N      | P702KW1<br>P708KFA | HPPE                  |                        | 15    | 4X43F          | XIXXXX |        |
|  |                                 |                       |                    |                       |                        |       |                |        |        |
|  |                                 | SPIDER CUT            | P704T40            | HPPE - MINERAL FIBRES |                        | 13    | 4X43DP         |        |        |

| ENVIRONMENT                    | REFERENCE                      | CODE P   | MATERIAL           | COATING<br>TREATMENT | GAUGE | EN 388 | EN 407 | EN 511 |
|--------------------------------|--------------------------------|----------|--------------------|----------------------|-------|--------|--------|--------|
|                                | ARTIC                          | P702783  | LEATHER            |                      |       | 3233X  |        | 230    |
| PROTECTION<br>AGAINST THE COLD | HANDGRIP THERMO                | P702LG7  |                    | LATEX                | 10    | 2241X  |        | X1X    |
|                                | HANDGRIP THERMO 3/4            | P702LG8  | ACRYLIC SCRATCH    |                      | 10    | 2141X  |        | X1X    |
|                                | WINTERCUT                      | P702940  | NYLON - ACRYLIC    | NITRILE              | 15    | 4X42B  |        | X2X    |
|                                | WINTERLITE 100N OGT            | P700APV  | RECYCLED POLYESTER | NITRILE              |       | 4231B  |        | X2X    |
|                                | WINTERLITE 111N OGT            | P70EJUJ  |                    |                      |       | 4231B  |        | X2X    |
|                                | HANDWELD 15 TC                 | P702KH9  | LEATHER            |                      |       | 4133X  | 413X4X |        |
| WELDING HEAT PROTECTION        | HANDWELD 15 PFDC               | P702KHA  |                    |                      |       | 3143X  | 413X4X |        |
|                                | HANDWELD 15 HT                 | P702KHB  |                    |                      |       | 4244X  | 41214X |        |
|                                | HANDWELD 15 THT                | P702KHC  |                    |                      |       | 4244X  | 41214X |        |
|                                | HANDWELD 15 AGN TF             | P702LFU  |                    |                      |       | 2111X  | 412142 |        |
|                                | BLUE WELDER                    | P702LYQ  |                    |                      |       | 4244X  | 413X4X |        |
|                                | WELDING APRON                  | P702G7C  |                    |                      |       |        |        |        |
|                                | FIRST FULL-GRAIN SPLIT LEATHER | P702J80  | LEATHER            |                      |       | 2121X  |        |        |
| FIRST RANGE                    | FIRST FULL-GRAIN LEATHER       | P702J78  |                    |                      |       | 2121X  |        |        |
|                                | FIRST CUT 3                    | P702 JEA | POLYESTER          | PU                   | 13    | 4342B  |        |        |
|                                | FIRST CUT 5                    | P702JEB  |                    |                      | 13    | 4543C  |        |        |



# LIGHT-MATERIAL HANDLING

# HANDLING GLOVE HANDSKIN OREGON

Dry environment



Glove suitable for light handling in dry conditions. Palm, fingertips and thumb glove with return on index and little finger, in natural-coloured goat grain leather. 100% cotton jersey back, red. Flexible and comfortable. Packaging: pack of 10 pairs.

Available from the size 6/XS to 11/2XL.



P702158

# HANDLING GLOVE HANDLITE 195G

Dry environment

P70ANKT



Glove suitable for light handling and precision assembly in dry environments.

Seamless, grey, 13-gauge polyester knitted glove. Grey polyurethane coating on palm and fingertips.

Excellent dexterity, good abrasion resistance, suitable for dirty environments. Packaging: pack of 10 pairs.

Available from the size 6/XS to 11/3XL.



# HANDLING GLOVE HANDSKIN IDAHO

# Dry environment



Glove suitable for light handling in dry conditions. Palm and back in natural-coloured goat grain leather. With artery protector. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



P70H0H6

P701479

#### HANDLING GLOVE HANDLITE 195NR

Dry environment



Glove suitable for light handling and precision assembly in dry conditions.

Black polyester knitted glove, 13 gauge, seamless. Black polyurethane coating on palm and fingertips. Excellent dexterity, good abrasion resistance, suitable for dirty environments. Packaging: pack of 10 pairs.

#### Available from the size 6/XS to 11/2XL.



0

#### **HANDLING GLOVE HANDLITE 195B**

Dry environment

P70R9RH



Glove suitable for light handling and precision assembly in dry environments.

White polyuseter knitted glove (visible dirt), 13 gauge, seamless. White polyurethane coating on palm and fingertips. Excellent dexterity, good abrasion resistance. Packaging: pack of 10 pairs.

Available from the size 6/XS to 11/2XL.



#### **HANDLING GLOVE HANDLITE 200G**

Dry environment

P702708



Glove suitable for light handling and precision assembly in dry conditions.

Grey polyamide knitted glove, 13 gauge, seamless. Grey polyurethane coating on palm and fingertips. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



## **HANDLING GLOVE HANDLITE 100B**

Dry environment



Maximum dexterity.

Glove suitable for light handling and precision assembly in dry environments.

White polyamide knitted glove (visible dirt), 13 gauge, seamless. White polyurethane coating on the fingertips to preserve the handler's sensitivity. Maximum flexibility and comfortable use, with good tear

resistance.

Packaging: pack of 10 pairs.

Available from the size 6/XS to 10/XL.



P702707

#### **HANDLING GLOVE HANDLITE 200B**

Dry environment



Excellent abrasion resistance: superior

Glove suitable for light handling and precision assembly in dry environments.

White polyamide knitted glove (visible dirt), 13 gauge, seamless. White polyurethane coating on palm and fingertips. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



## LIGHT-MATERIAL HANDLING



#### HANDLING GLOVE HANDLITE FIT

Dry environment



18 gauje: second-skin effect for incomparable sensitivity and precision.

P702079

Glove suitable for light handling and precision assembly in dry conditions.

Seamless 18-gauge blue nylon knitted glove. Black polyurethane coating on palm and fingertips. Ventilated back. Exceptional sensitivity.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



P7021K3

WER

#### HANDLING GLOVE HANDGRIP 500L

Damp environment



Glove suitable for light handling and precision assembly in damp environments.

Red nylon knitted glove, 15 gauge. Grey latex coating POWERFINISH® technology on palm and fingertips: exceptional grip in wet or dry conditions. Ultra-fine dexterity and comfort. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



#### HANDLING GLOVE HANDLITE 300N

Greasy or damp environment

P702723

Ideal for handling greasy

and oily parts.

#### HANDLING GLOVE HANDGRIP PLUS

Greasy or damp environment



technology: exceptional grip even in wet conditions. Double nitrile coating for excellent resistance to oils and

Glove suitable for light handling and precision assembly in greasy or damp environments. Grey polyamide knitted glove, 13 gauge, seamless. Black nitrile coating on palm and fingertips. Good tear resistance, high abrasion resistance. Packaging: single unit.

Available from the size 6/XS to 10/XL.



Glove suitable for light handling and precision handling in greasy or damp environments. Seamless 13-gauge nylon knitted glove. Double black nitrile coating on palm and fingertips. Exceptional grip thanks to POWERFINISH® Technology.

Optimum comfort and dexterity. High abrasion resistance. Packaging: single unit.\*

Available from the size 6/XS to 11/2XL.



P702LG4

ÕWER INISH



#### HANDLING GLOVE HANDLITE OGT NIT

Greasy or damp environment



Glove suitable for light handling and precision handling in greasy or damp environments.

Green recycled polyester knitted glove, 15 gauge, seamless.

Highly flexible black nitrile coating on palm and fingers.

High flexibility and dexterity.

Excellent abrasion resistance for longer glove life. Packaging: single units.

Available from the size 7/S to 11/2XL.

HANDLING GLOVE KYOLITE 320N

Greasy or damp environment

EN 388

P702K30

P70R89K

**HANDLING GLOVE HANDLITE 410N** 

Greasy or damp environment

P702LK0



Good grip in oily, damp conditions. Handling of hot parts. Optimum comfort, flexibility and dexterity.

Glove suitable for light handling and precision handling in greasy or damp environments.

Black nylon and spandex knitted glove, 15 gauge, seamless. Double coating of nitrile and black TPU on palm and fingertips. Optimum comfort, flexibility and dexterity. Handling of hot parts (up to 100°C). High abrasion resistance. Packaging: single units.

Available from the size 6/XS to 11/2XL.









# 4.1.2.1.X

P701594





HANDLING GLOVE HANDLITE 303N

Greasy or damp environment

Glove suitable for light handling and precision handling in greasy

Seamless, black, 15-gauge KYORÈNE® fibre knitted glove.

Nitrile thumb-index reinforcement for enhanced durability.

KYORÈNE® fibre, developed from graphene, is cut-resistant, antibacterial, UV-resistant, dissipates heat and reduces

Excellent grip in greasy environments. High abrasion resistance.

Highly flexible foam nitrile coating on palm and fingers.



KYORÈNE® fibre: cut-resistant, antibacterial, UV-resistant, reduces perspiration, resists contact heat. Excellent grip in oily conditions. Exceptional comfort.

Glove suitable for light handling and precision handling in greasy

or damp environments. Grey polyamide knitted glove, 13 gauge, seamless. Black nitrile coating on palm and partial back. Good abrasion resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



Available from the size 6/XS to 11/2XL.

perspiration, resists contact heat.

or damp environments.

Packaging: single unit.



Ideal for handling greasy and oily parts. Nitrile coating on palm and partial back for added protection.

#### **HANDLING GLOVE HANDGRIP 404N**

Greasy or damp environment







Glove suitable for light handling and precision assembly in greasy or damp environments. Black nylon and spandex knitted glove. Double black nitrile coating, smooth 2/3 back and grainy finish on

palm and fingers. Excellent grip. High abrasion resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



P702D0C

## HANDLING GLOVE HANDLITE 444N

Greasy or damp environment

P70RPH3







Double nitrile coating: excellent resistance to water and oil. 18 gauge: second-skin effect for incomparable sensitivity and precision. SANITIZED 
<sup>®</sup> treatment against the development of bacteria. Prevents bad odours.

Glove suitable for light handling and precision assembly in greasy and damp environments. Black nylon knitted glove, 18 gauge, seamless. Smooth nitrile coating 3/4, blue colour, second nitrile coating sandblasted finish on palm, black colour. SANITIZED® treatment against the development of bacteria. Prevents bad odours. Excellent abrasion resistance. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



#### HANDLING GLOVE HANDGRIP VIZ ENDUCTION 3/4

Greasy or damp environment

P702080



Glove suitable for light to medium-duty handling in greasy and damp environments.

Yellow polyester knitted glove, gauge 13, seamless.

Black water-based polyurethane coating without DMF solvent on palm, fingers and partial back. Comfort and dexterity. Good abrasion and tear resistance.

Packaging: single unit.

Available from the size 8/M to 11/2XL.



HAND PROTECTION



## MEDIUM AND HEAVY-MATERIAL HANDLING

LEATHER ORKING GROUP

#### HANDLING GLOVE HANDSKIN TEXAS

#### Dry environment



By purchasing this product, you are supporting responsible tanneries certified by the « Leather Working Group ». www.leatherworkinggroup.com

P702G6N

Leather reinforcement on palm, thumb and index finger. Increased forearm protection with cuff.

Glove suitable for medium and heavy handling in dry conditions. Docker glove in natural red cowhide.

Green leather reinforcement on palm, thumb and index finger. Textile-lined palm. Red canvas back and cuff.

Excellent abrasion resistance and good tear and puncture

resistance.

Packaging: pack of 10 pairs.

Available in size 10/XL.



P701207

#### HANDLING GLOVE HANDSKIN ARIZONA GOLD

Dry environment



By purchasing this product, you are supporting responsible tanneries certified by the « Leather Working Group ». www.leatherworkinggroup.com

Glove suitable for medium and heavy handling in dry conditions. Cowhide grain leather palm and cowhide split back, natural colour.

Excellent leather quality. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



#### HANDLING GLOVE HANDSKIN ARIZONA

#### Dry environment



Glove suitable for medium and heavy handling in dry conditions. Cowhide grain leather palm and cowhide split back, natural colour.

Leather is naturally breathable. Packaging: pack of 10 pairs.

Available from the size 8/M to 11/2XL.

HANDLING GLOVE HANDSKIN KANSAS



P701219



Glove suitable for medium and heavy handling in dry conditions. Palm and back in cowhide grain leather, natural colour. Packaging: pack of 10 pairs.

Available from the size 8/M to 11/2XL.



#### HANDLING GLOVE HANDSKIN KANSAS GOLD

# Dry environment P701222



Glove suitable for medium and heavy handling in dry conditions. Palm and back in cowhide grain leather, natural colour. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



# RESPONSIBLE PRODUCTION

OPSIAL is committed to supporting responsible leather manufacturing worldwide, and that is why we are proud to be members of <u>Leather Working Group/LWG</u>. (www.leatherworkinggroup.com).

## By purchasing our leather gloves, you are supporting responsible leather manufacturing through LWG.

The Leather Working Group (LWG) is a global multi-stakeholder community committed to building a sustainable future with responsible leather. This non-profit organization promotes best practices and positive social and environmental changes for responsible leather production.





43

## MEDIUM AND HEAVY-MATERIAL HANDLING

#### **HANDLING GLOVE HANDGRIP C150**

Damp environment



Excellent grip in wet or dry conditions. Excellent tear resistance: superior service life.

Glove suitable for medium and heavy handling in dry and damp environments.

Seamless, grey-blue, 10 gauge cotton/polyester knitted glove. Orange latex coating with bonded finish on palm and fingertips for excellent grip in wet or dry conditions.

Excellent tear resistance.

Packaging: single unit.

Available from the size 7/S to 11/2XL.



P700816

HANDLING GLOVE HANDGRIP 505L LATEX PF

Damp environment





Complete waterproofing. **POWERFINISH®** technology: exceptional grip even in wet conditions.

Glove suitable for medium and heavy handling in dry and damp conditions.

Seamless grey nylon knitted glove, gauge 13.

Smooth double latex coating over the entire hand for excellent Exceptional grip in dry or damp conditions thanks to

POWERFINISH® Technology latex coating on palm and fingers. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



#### HANDLING GLOVE HANDGRIP PREMIUM



Glove suitable for medium and heavy handling in dry and damp conditions.

Brown polyester/cotton knitted glove, 10 gauge. Grey latex coating on palm and fingertips, fully coated thumb, POWERFINISH® technology: microscopic pocket technology for outstanding grip in wet conditions Excellent tear and abrasion resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.





#### HANDLING GLOVE HANDSKIN MONTANA

#### Damp environment



Glove suitable for medium and heavy handling in dry and damp environments. Water-repellent cowhide grain leather palm and back, natural colour. Latex wrist. Perforated artery guard. Flexible and resistant. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



#### HANDLING GLOVE MANUMAX

Greasy or damp environment



### HANDLING GLOVE HANDSKIN DAKOTA

#### Damp environment

P702009



Glove suitable for medium and heavy handling in dry and damp environments.

Water-repellent cowhide grain leather palm and back in natural colour. Flexible and resistant.

Packaging: pack of 10 pairs.

#### Available from the size 7/S to 11/2XL.







P702008



# Excellent barrier against oil and grease.

The glove is suitable for medium and heavy handling in wet and greasy environments. 100% cotton jersey knitted glove.

Blue nitrile coating on palm and 3/4 back. Elasticated knit wrist. Durability: excellent abrasion resistance. Packaging: pack of 10 pairs.

Available from the size 7/S to 11/2XL.



HANDLING GLOVE SPIDERLITE

P702D0E Shockproof, cut-resistant gloves for greasy or damp environments



Glove suitable for medium and heavy handling in wet and greasy environments. Green polyester and spandex knitted glove, 15 gauge. Black nitrile coating on palm and fingers. Anti-shock elastomer protection on back of hand, phalanges, entire thumb and padding on palm. Exceptional grip. Excellent dexterity (5/5). Packaging: single unit.

Available from the size 7/S to 11/2XL.



## **CUT-RESISTANT GLOVES**

#### **CUT RESISTANT GLOVE HANDSAFE 610G**

Dry environment





P702JEC

Flexibility, unique comfort and high cut resistance of DYNEEMA® Diamond .

Cut-resistant glove suitable for sharp handling in dry environments.

Seamless, grey, 13-gauge Dyneema® Diamond / spandex / nylon knitted glove.

Grey polyurethane coating on palm and fingertips. Flexibility, unique comfort and high cut resistance of DYNEEMA®

Diamond. Cut resistance: TDM B. High abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



EN 388

CUT RESISTANT GLOVE HANDSAFE XP 631

Dry environment

P702LQM



18 gauge: second-skin effect for incomparable sensitivity and precision. Excellent abrasion and tear resistance: superior durability.

Anti-cutting glove suitable for sharp handling in dry environments. Knitted glove in high-performance polyethylene fibre (HPPE),

steel fibre, fibreglass, nylon and blue spandex, 18 gauge, seamless.

Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for enhanced durability. Incomparable comfort thanks to very fine knitting density.

Incomparable comfort thanks to very fine knitting density. Cut resistance: TDM B. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 7/S to 11/2XL.



EN 38



**CUT RESISTANT GLOVE HANDSAFE 610B** 

Flexibility, unique comfort and high cut resistance of DYNEEMA® Diamond . Visible soiling.

P702 JFD

Cut-resistant glove suitable for sharp handling in dry environments.


Knitted glove in DYNEEMA® Diamond / spandex / white nylon, 13 gauge, seamless.

White polyurethane coating (visible dirt) on palm and fingertips. Flexibility, unique comfort and high cut resistance of DYNEEMA® Diamond.

Cut resistance: TDM B. High abrasion and tear resistance. Packaging: single unit.

Available from the size 7/S to 11/2XL.





#### **CUT RESISTANT GLOVE HANDSAFE 730G**

Dry environment

Good cut resistance: TDM C. Excellent abrasion and tear resistance: longer life.

Cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE), fibreglass, nylon and gray spandex, 13 gauge, seamless.

Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for enhanced durability.

Good cut resistance: TDM C. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



P702NQU

P702LQI

#### **CUT RESISTANT GLOVE HANDSAFE 605J**

Dry environment

Exceptional comfort.

Cut-resistant glove suitable for sharp handling in dry environments. Knitted glove in high-density polyethylene fibre, yellow, 13-gauge. Grey polyurethane coating on palm and fingertips. Cut resistance: TDM C. Excellent abrasion and tear resistance. Exceptional comfort and durability. Packaging: single unit.

Available from the size 6/XS to 11/2XL.





Good cut resistance: TDM C. 18 gauge: second-skin effect for incomparable sensitivity and precision. Excellent abrasion and tear resistance: longer life.

Anti-cutting glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE), steel fibre, fibreglass, nylon and blue spandex, 18 gauge, seamless.

Polyurethane coating on palm and fingertips. Black nitrile thumb-

index reinforcement for enhanced durability. Incomparable comfort thanks to very fine knitting density. Good cut resistance: TDM C. Excellent abrasion and tear resistance. Packaging: single units.

Available from the size 6/XS to 11/2XL.

#### **CUT-PROTECTION SLEEVE X2 7040G**

Cut-resistant sleeve, dry environment



Good cut resistance: TDM C. Excellent tear resistance.

Two cuffs. Excellent cut resistance: TDM C. 13-gauge comfort knit, HPPE / mineral fibre / Spandex blue / mottled gray. Velcro closure and elastic cuff for perfect fit. Individual bag of one pair.

Single size.





P702LQN

P702KIA

EN 388

## **CUT-RESISTANT GLOVES**

#### **CUT RESISTANT GLOVE HANDSAFE 705G**

#### Dry environment

P702202





High cut resistance: TDM D. CIRSIUM™ fibre: an OPSIAL® exclusive that combines an optimal level of cut protection with good comfort. Excellent abrasion and tear resistance: superior durability.

Cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in grey CIRSIUM<sup>™</sup> yarn, 13 gauge, seamless. Grey polyurethane coating on palm and finger faces. High cut resistance: TDM D. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 12/3XL.



P702LQ0

#### **CUT RESISTANT GLOVE HANDSAFE XP 831**

Dry environment




Cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE), steel fibre, fibreglass, nylon and blue spandex, 18 gauge, seamless.

Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for enhanced durability.

Incomparable comfort thanks to very fine knitting density.

Excellent cut resistance: TDM D. Excellent abrasion and tear resistance. Packaging: single unit.





CUT RESISTANT GLOVE HANDSAFE 830G
Dry environment



High cut protection: TDM D. Excellent abrasion and tear resistance: superior durability.

Cut-resistant glove suitable for sharp handling in dry environments. Knitted glove in high-performance polyethylene fibre (H

Knitted glove in high-performance polyethylene fibre (HPPE), fibreglass, nylon and gray spandex, 13 gauge, seamless. Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for enhanced durability. High cut resistance: TDM D. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



P702LQJ

**CUT RESISTANT GLOVE HANDSAFE 930G** 

Dry environment



P702LQK



Cut-resistant glove suitable for sharp handling in dry environments. Knitted glove in high-performance polyethylene fibre (HPPE),

Fibreglass, nylon and gray spandex, 13 gauge, seamless. Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for extra durability. Very high cut resistance: TDM E. Excellent abrasion and tear

resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



#### **CUT RESISTANT GLOVE HANDSAFE XP 931**

#### Dry environment



Cut-resistant glove suitable for sharp handling in dry environments.

Seamless knitted glove made of high-performance polyethylene fibre (HPPE), steel fibre, fibreglass, nylon and blue spandex, 18

gauge. Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for enhanced durability. Incomparable comfort thanks to very fine knitting density. Very high cut resistance: TDM E. Excellent abrasion and tear

resistance. EN 388

Packaging: single unit.

Available from the size 6/XS to 11/2XL.

#### CUT RESISTANT GLOVE HANDSAFE 960G/ML/RP

Dry environment

P70IELS

냳

4 X 4 3 F

P702LQP




Long-sleeved cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE),

Steel fibre, nylon and gray spandex, 13 gauge. Polyurethane coating on palm and fingertips. Black nitrile thumb-index reinforcement for greater durability. Long cuff for enhanced forearm protection.

Maximum cut resistance: TDM F. Excellent abrasion and tear resistance. Very good puncture resistance. Packaging: single unit.





49

#### **CUT RESISTANT GLOVE HANDSAFE 960G** Dry environment



Cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE), fibreglass, nylon and gray spandex, 13 gauge, seamless. Polyurethane coating on palm and fingertips. Black nitrile thumbindex reinforcement for extra durability. Maximum cut resistance: TDM F. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



P702LQQ

### **CUT RESISTANT GLOVE HANDSAFE XP 961**

Dry environment



Maximum cut protection: TDM F. 18 gauge: second-skin effect for incomparable sensitivity and precision. Excellent abrasion and tear resistance: superior durability.

Cut-resistant glove suitable for sharp handling in dry environments.

Knitted glove in high-performance polyethylene fibre (HPPE), steel fibre, fibreglass, nylon and blue spandex, 18 gauge, seamless

Grey polyurethane coating on palm and fingertips. Black nitrile thumb-index reinforcement for enhanced durability.

Incomparable comfort thanks to very fine knitting density. Maximum cut resistance: TDM F. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



## **CUT-RESISTANT GLOVES**

#### CUT RESISTANT GLOVE HANDGRIP KEV LATEX PF

### Protection against heat, greasy or damp environments P702LG6



POWER

Very good cut resistance: TDM C. Handling of hot parts (up to 250°C). POWERFINISH® technology: excellent grip even in wet conditions.

Cut-resistant glove suitable for heavy, sharp handling in wet or dry conditions.

Yellow polyester/cotton knitted glove, 10 gauge, seamless. Grey latex coating on palm and fingertips, fully coated thumb for added protection.

Exceptional grip thanks to POWERFINISH® Technology. Good cut resistance: TDM C, excellent tear and puncture resistance. Good abrasion resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.







#### **CUT RESISTANT GLOVE KYOSAFE 620N**

Greasy or damp environment

#### **CUT RESISTANT GLOVE KYOSAFE 720N**

Greasy or damp environment





P702K2Z

KYORÈNE® fibre: cut-resistant, antibacterial, UV-resistant, reduces perspiration, resists contact heat. Excellent grip in oily conditions. Exceptional comfort

Cut-resistant glove suitable for sharp handling in greasy, damp environments.

Seamless, grey, 15-gauge KYORÈNE® fibre knitted glove. Highly flexible foam nitrile coating on palm and fingers.

Nitrile thumb-index reinforcement for enhanced durability. KYORÈNE® fibre, developed from graphene, is cut-resistant,

antibacterial, UV-resistant, reduces perspiration and odours, resists contact heat Excellent grip in oily environments.

Cut resistance: TDM B. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



#### **CUT RESISTANT GLOVE KYOSAFE XP 721N**

Greasy or damp environment







Cut-resistant glove suitable for sharp handling in dry, oily or damp environments.

Seamless 18-gauge knitted glove in black KYORÈNE® fibre. Highly flexible foam nitrile coating on palm. Thumb-index nitrile reinforcement for enhanced durability.

KYORÈNE® fibre, developed from graphene, is cut-resistant, antibacterial, UV-resistant, reduces perspiration and odours, resists contact heat.

Incomparable comfort and precision thanks to ultra-fine knitting. Excellent grip in oily environments. Good cut resistance: TDM C. Nitrile reinforcement between

thumb and index finger.

Touchscreen compatible. Resistant to contact heat. Fibreglassand stainless steel-free glove.

Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.





Good cut resistance: TDM C. KYORÈNE® fibre: cut-resistant, antibacterial, UV-resistant, reduces perspiration, resists contact heat. Excellent grip in oily environments.

P702K2Y

ENE

THE GRAPHENE FIBER

Cut-resistant glove suitable for sharp handling in greasy, damp environments

Knitted glove in black KYORÈNE® fibre, 13 gauge, seamless. Highly flexible foam nitrile coating on palm and fingers. Nitrile thumb-index reinforcement for enhanced durability. KYORÈNE® fibre, developed from graphene, is cut-resistant, antibacterial, UV-resistant, reduces perspiration and odours, resists contact heat.

Excellent grip in slightly oily environments.

Excellent cut resistance: TDM C. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



**CUT RESISTANT GLOVE KYOSAFE XP 821N** 





High cut resistance: TDM D. 18 gauge: second-skin effect for incomparable sensitivity and precision. KYORÈNE® fibre: anti-cut, anti-bacterial, anti-UV, reduces perspiration, resists contact heat. Excellent grip in oily environments. Glass- and steel-free.

Cut-resistant glove suitable for sharp handling in dry, greasy or oily environments.

Seamless knitted glove in black 18-gauge KYORÈNE® fibre. Highly flexible foam nitrile coating on palm. Thumb-index nitrile reinforcement for enhanced durability.

KYORÈNE® fibre, developed from graphene, is cut-resistant, antibacterial, UV-resistant, reduces perspiration and odours, resists contact heat.

Incomparable comfort and precision thanks to ultra-fine knitting. Excellent grip in oily environments. High cut resistance: TDM D. Nitrile reinforcement between thumb

and index finger for greater durability.

Touchscreen compatible. Fibreglass- and stainless steel-free glove.

Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



HAND PROTECTIOI

P702LZW

Ì

KYORENE THE GRAPHENE FIBER

## **CUT-RESISTANT GLOVES**

#### **CUT RESISTANT GLOVE HANDSAFE 707N**

P702160



#### High cut resistance: TDM D. Double nitrile coating for excellent resistance to oil and grease. Excellent grip even in oily environments.

Cut-resistant glove suitable for sharp handling in dry, oily or damp environments.

Grey knitted glove in HPPE and spandex, 13 gauge, seamless. Double nitrile coating: smooth blue nitrile on palm, fingers and partial back and grainy black nitrile on palm and finger faces. Excellent grip in oily environments.

High cut resistance: TDM D. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.





#### **CUT RESISTANT GLOVE KYOSAFE XP 807N**

Greasy or damp environment



KYORENE THE GRAPHENE FIBER



Double nitrile coating for excellent resistance to oils and greases. High cut resistance: TDM D. KYORÈNE® fibre: cut-resistant, antibacterial, UVresistant, reduces perspiration, resists contact heat, etc. Excellent grip in oily environments. Glass- and steel-free.

Cut-resistant glove suitable for sharp handling in dry, oily or damp environments.

Seamless, 18-gauge, blue KYORÈNE® fibre knitted glove. Double sandblasted nitrile coating on palm and fingers. KYORÈNE® fibre, developed from graphene, is cut-resistant, antibacterial, UV-resistant, dissipates heat and reduces perspiration, resists contact heat.

Excellent grip in oily environments. Touchscreen compatible. Fibreglass and stainless steel-free glove. Resistant to contact heat

High cut resistance: TDM D. Excellent abrasion and tear resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



**CUT RESISTANT GLOVE HANDSAFE XP 907N** 

Greasy or damp environment

P70ZKWT



Maximum cut resistance:

TDM F. Double nitrile coating for excellent resistance to oil and grease. 15 gauge: unique comfort. Glass- and steel-free.

Cut-resistant glove suitable for sharp handling in dry, oily or damp environments. 15 gauge.

Double 3/4 sandblasted nitrile coating for improved waterproofing.

Excellent grip in greasy and oily environments thanks to sandblasted finish on palm and fingers.

Fibreglass and stainless steel-free gloves. Resistant to contact heat.

Touchscreen compatible. Very high cut protection: TDM F. Excellent abrasion and tear resistance. Very good puncture resistance.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



X.1.X.X.X.X 4.X.4.3.I

#### **CUT RESISTANT GLOVE HANDSAFE XP 971N**

#### Greasy or damp environment





P708KFA

TDM F. 15 gauge: unique comfort. Resists contact heat. Glass- and steelfree.

Cut-resistant gloves for dry, oily or damp environments. Sandblasted nitrile coating, "second skin" effect, on palm and fingertips, 15 gauge, seamless. Nitrile thumb-index reinforcement. Fine knit for exceptional agility and comfort. Fibreglass- and stainless steel-free glove. Contact heat resistant. Touch screen compatible. Very high cut resistance: TDM F. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 6/XS to 11/2XL.



#### CUT RESISTANT GLOVE SPIDER CUT D

Shockproof, cut-resistant gloves for greasy or damp environments



**Excellent protection against** impacts and cuts. Double nitrile coating for excellent resistance to oil and grease.

P704T40

Anti-shock and cut-resistant glove for greasy and wet environments.

Double-coated in black granular nitrile.

Padding on palm. Elastomer impact protection on back of hand, phalanges and entire thumb. High cut resistance: TDM D. Elasticated wrist with Velcro

fastening. High abrasion and tear resistance. Very good puncture

resistance. Packaging: single unit.

#### Available from the size 7/S to 11/2XL.



P702LG7

POWER FINISH

## SPECIFIC GLOVES

Gloves for protection against the cold

P702783



Cold protection glove.

Cattle grain leather glove, fully lined in yellow. Very good resistance to contact cold and good resistance to convection cold. Packaging: pack of 10 pairs.

Available from the size 8/M to 11/2XL.



### **COLD PROTECTION GLOVE HANDGRIP THERMO**

Gloves for protection against the cold and damp



Very good thermal insulation against the cold. POWERFINISH® technology: excellent grip even in wet and cold conditions.

Protective glove for cold and wet environments. Seamless knitted glove in orange brushed acrylic, 10 gauge. Latex coating on palm and fingertips. Exceptional grip thanks to POWERFINISH® Technology, even in

wet conditions. Fully coated thumb for added protection. Packaging: single unit.





## SPECIFIC GLOVES

#### **COLD PROTECTION GLOVE HANDGRIP THERMO 3/4 LATEX PF**

#### Gloves for protection against the cold and damp P702LG8



3/4 coating on back for better waterproofing. Excellent thermal insulation against the cold. POWERFINISH® technology: excellent grip even in wet and cold conditions.

Protective glove for cold and wet environments.

Knitted glove in yellow brushed acrylic, 10 gauge, seamless.

3/4 latex coating: palm, finger faces and partial back. Exceptional grip thanks to POWERFINISH® Technology, even in wet conditions.

Fully coated thumb for added protection.

Packaging: single unit.

Available from the size 6/XS to 11/2XL.



WER

#### **COLD PROTECTION GLOVE WINTERLITE 100N OGT**

Protection against the cold, greasy or damp environments





P700APV

100% recycled polyester. Excellent thermal insulation against the cold.Good cut protection: TDM B. Suitable for food contact. SANITIZED® treatment against the development of bacteria. Prevents bad odours.

Cold protection and cut-resistant glove suitable for sharp handling in cold, oily or damp environments. 100% recycled polyester knitted glove. Sandblasted nitrile coating on palm.

Acrylic lining for excellent thermal insulation.

This glove is suitable for food contact. Compatible with touch screens. SANITIZED® t treatment against the development of bacteria.

Prevents bad odours. Good cut protection: TDM B. Excellent abrasion resistance.

Packaging: single unit.

Available from the size 7/S to 11/2XL.



#### **COLD PROTECTION GLOVE WINTERCUT**

Cut-resistant gloves for protection against the cold



Very good thermal insulation against the cold. Good cut protection: TDM B. Excellent abrasion resistance: longer service life.

P702940

Glove suitable for sharp handling in cold, greasy or damp environments.

Black nylon and spandex knitted glove, 15 gauge, seamless. Mixed water-based polyurethane and black nitrile coating on palm, fingers and back with picots for improved grip. Good resistance to contact cold. TDM cut protection: B. Excellent abrasion and tear resistance. Packaging: single unit.

Available from the size 7/S to 10/XL.



#### **COLD PROTECTION GLOVE WINTERLITE 111N OGT**

Protection against the cold, greasy or damp environments P70EJUJ



3/4 smooth nitrile double coating. 100% recycled polyester. Excellent thermal insulation against cold. Good cut protection: TDM B. Suitable for food contact. SANITIZED® treatment against the development of bacteria. Prevents bad odours.

Cold protection and cut-resistant glove suitable for sharp handling in cold, oily or damp environments. Knitted in 100% recycled polyester. Double coating in 3/4 smooth nitrile and sandblasted nitrile palm.

Double coating in 3/4 smooth nitrile and sandblasted nitrile palm. Acrylic lining provides excellent thermal insulation. This glove is suitable for food contact. Compatible with touch

SCREENS. SANITIZED® treatment against the development of bacteria.

Prevents bad odours. Good cut protection: TDM B. Excellent abrasion resistance.

Packaging: single unit.

Available from the size 7/S to 11/2XL.



#### **WELDING GLOVE HANDWELD 15 TC**

#### Gloves for protection against heat, fire and welding




Glove suitable for welder's protection.

Full cowhide leather glove, natural colour, palm with index finger return, 15 cm crust cuff, natural colour.

Excellent abrasion resistance. Resistant to contact heat (up to 100°C). Excellent resistance to flammability and small splashes of liquid metal.

Packaging: pack of 10 pairs.

Available from the size 9/L to 11/2XL.



P702KH9

#### **WELDING GLOVE HANDWELD 15 HT**

Gloves for protection against heat, fire and welding



By purchasing this product, you are supporting responsible tanneries certified by the « Leather Working Group ». www.leatherworkinggroup.com

P702KHB

MIG WELDING. Heattreated leather: increased resistance to high temperatures. Forearm protection.

> Glove suitable for welder's protection. Cowhide split leather glove, Kevlar® stitching. 15 cm buffalo split leather cuff. Cotton fleece lining for added comfort. Resistant to contact heat (up to 100°C). Excellent resistance to flammability and small liquid splashes.

Excellent abrasion, tear and puncture resistance. Packaging: pack of 10 pairs.

Available from the size 9/L to 11/2XL.











By purchasing this product, you are supporting responsible tanneries certified by the « Leather Working Group ». www.leatherworkinggroup.com

P702KHA



WELDING GLOVE HANDWELD 15 PFDC

Gloves for protection against heat, fire and welding

Good dexterity (grain leather palm). Forearm protection. Good contact heat resistance (up to 100°C).

LEATHER WORKING GROUP

Glove suitable for welder's protection.

Full grain cowhide leather glove, 15 cm crust cuff, natural colour. Good dexterity. Excellent resistance to flammability and small liquid splashes.

Resistant to contact heat (up to 100°C). Good abrasion resistance. Excellent tear resistance.

Very good resistance to convective heat. Packaging: pack of 10 pairs.

#### Available from the size 9/L to 11/2XL.



#### WELDING GLOVE HANDWELD 15 THT

Gloves for protection against heat, fire and welding



MIG-MAG WELDING. Resistant to fire, convective heat and molten metal splashes. **Comfort: cotton** fleece lining. Forearm protection.

LEATHER WORKING GROUP

Glove suitable for welder's protection.

All-cattle split leather glove, heat-treated palm with return on index finger, orange, Kevlar® stitching. 15 cm natural-coloured buffalo split leather cuff.

Excellent resistance to flammability and small liquid splashes.

Excellent puncture and tear resistance. Resistant to contact heat (up to 100°C). Packaging: pack of 10 pairs.

#### Available from the size 9/L to 11/2XL.



55

P702KHC

By purchasing this product, you are

supporting responsible tanneries certified by the « Leather Working Group ».

www.leatherworkinggroup.com

#### **WELDING GLOVE HANDWELD 15 AGN TF**

#### Gloves for protection against heat, fire and welding



By purchasing this product, you are supporting responsible tanneries certified by the « Leather Working Group ». www.leatherworkinggroup.com

P702LFU

### lambskin leather. Forearm protection.





#### WELDING GLOVE BLUE WELDER

Gloves for protection against heat, fire and welding P702LYQ



Glove suitable for welder's protection. Full grain lambskin glove, 15 cm natural split cuff. Glove suitable for TIG welding of small parts, gray, Kevlar® stitching.

All-grain lambskin palm and back for great flexibility. Contact heat resistant (up to 100°C). Excellent resistance to fire, convective heat and molten metal splashes, even large ones. Lenath: 35 to 38 cm

Packaging: pack of 10 pairs.

Available from the size 9/L to 11/2XL.



Glove suitable for welder's protection.

Blue split leather glove, lined with black fleece over the whole hand and black cotton canvas over the entire length of the cuff. Kevlar® stitching and leather reinforcement on palm.

Excellent abrasion, tear and puncture resistance.

Excellent flammability resistance. Excellent resistance to small splashes

of liquid metal. Length: 33 to 35 cm. Packaging: pack of 5 pairs.

Available from the size 9/L to 11/2XL.





LEATHER WELDING APRON

Accessories





Soft and resistant leather. Leather straps, adjustment easy.



Welder's apron with bovine split leather bib. With adjustable neck strap and belt. Metal buckles. Dimensions: 90 x 70 cm.

Single size.



## **FIRST GLOVES**

#### **COWHIDE SPLIT LEATHER GLOVE FIRST**

P702J80

#### FULL GRAIN COWHIDE LEATHER GLOVE FIRST

P702J78



Handling glove suitable for heavy-duty handling in dry environments.

American-style 5-finger glove. Cowhide grain leather palm and split cowhide back.

Packaging pack of 10 pairs.

#### Available from the size 8/M to 11/2XL.



#### **CUT RESISTANT GLOVE FIRST CUT 3 HPPE GREY**

P702JEA





Cut-resistant glove suitable for sharp handling in dry environments. Polyester / HPTF / spandex knitted glove. Polyurethane coating. Cut resistance: TDM B. High abrasion and tear resistance. Packaging: pack of 10 pairs.

Available from the size 6/XS to 11/2XL.





Handling glove suitable for heavy-duty handling in dry environments. American-style 5-finger glove. Cowhide grain leather palm and

split cowhide back. Packaging: pack of 10 pairs.

#### Available from the size 8/M to 11/2XL.



#### **CUT RESISTANT GLOVE FIRST CUT 5 HPPE BLUE**

P702JEB



Good cut resistance: TDM C. Good dexterity.

Cut-resistant glove suitable for sharp handling in dry environments. Seamless, grey, 13-gauge polyester / HPTF / spandex knitted glove. Polyurethane coating. Cut resistance: TDM C. High abrasion and tear resistance. Packaging: pack of 10 pairs.

Available from the size 6/XS to 11/2XL.



## HYGIENE AND CLEANLINESS

#### WOOD POWER HAND CLEANER

Soaps, cleansing creams and hand wipes



91% natural content. Dirt Heavy and very resistant soiling. Gentle on the skin.

P70EV06


Solvent-free workshop hand cleaner for heavy and very stubborn soiling. Stubborn dirt.

Cleans thoroughly while respecting the skin.

Micronised, sanitised pinewood cellulose with high cleaning power.

Cleaning power. Clinically tested. Content of natural origin according to ISO 16128 STANDARD: 91%. Made in France. 5-litre pump can. Almond fragrance.

Type of packaging pump can



# OPSIAL **WOOD POWER**

Solvent-free workshop hand sanitiser containing micronized and sterilised pine wood cellulose, with scraping and absorption capacity.



6

**OPSIAL** VOOD POWF

FRANCE 5L

**OPSIAL GREENER TOGETHER:** 

tangible, measurable actions to reduce the environmental impact of our products. Visit opsial.com to find out more.


# BODY PROTECTION

| WORKWEAR                          | 62 |
|-----------------------------------|----|
| RAIN AND COLD                     | 69 |
| HIGH-VISIBILITY<br>CLOTHING       | 80 |
| SHORT-TERM USE<br>AND ACCESSORIES | 86 |

E

# How can I be sure I'm ordering the right size? By taking the right measurements

### ♦ For men's clothing



1 Chest size - Must be measured at the strongest point.

2 Waist size - Must be measured

horizontally around the natural waistline. Hip size - Must be measured at the

strongest point.

| To order clothing, check the following measurements: | To order | clothing, | check the | following | measurements: |
|--|----------|-----------|-----------|-----------|---------------|
|--|----------|-----------|-----------|-----------|---------------|

#### Trousers: order the size corresponding with the largest of your waist (2) or hip measurements (3).

Jacket: order the size corresponding with the largest of your chest (1) or waist measurements (2).


#### Coveralls:

order the size corresponding with the largest of your chest, waist or hip measurements (see table below).

| Men's size (top)              | 36 | 38     | 40  | 42  | 44   | 46  | 48  | 50  | 52  | 54  | 56  | 58  | 60  | 62  | 64  | 66  | 68  | 70  | 72  | 74  |
|-------------------------------|----|--------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Chest in cm (1)               | 80 | 84     | 88  | 92  | 96   | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | 136 | 140 | 144 | 148 | 152 | 156 |
| Waist circumference in cm (2) | 72 | 76     | 80  | 84  | 88   | 92  | 96  | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | 136 | 140 | 144 | 148 |
| Pelvis in cm (3)              | 91 | 94     | 97  | 100 | 103  | 106 | 109 | 112 | 115 | 118 | 121 | 124 | 127 | 130 | 133 | 136 | 139 | 142 | 145 | 148 |
| Equivalence in letters        | х  | XS S M |     | 1   | L XL |     | 2)  | (L  | 3X  | (L  | 4)  | (L  | 5X  | (L  | 6)  | (L  |     |     |     |     |
| Number equivalence            | 1  | 0      | 1   | I   | 1    | 2   | :   | 3   | 4   |     | ţ   | 5   | 6   | 5   |     | 7   | 8   |     | Ģ   | 9   |
|                               |    |        |     |     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|                               | 4  | 12     | 44- | 46  | 48   | -50 | 52  | 54  | 56- | 58  | 60  | -62 | 64- | 66  | 68  | -70 | 72- | 74  | 76  | -78 |
| International envirolante     |    |        |     |     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| International equivalents     | 36 | -38    | 40  | -42 | 44   | -46 | 48  | -50 | 52- | 54  | 56- | -58 | 60- | 62  | 64  | -66 | 68- | 70  | 72  | -74 |
|                               |    |        |     |     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|                               | 3  | 13     | 34  | -36 | 38-  | -40 | 41- | 42  | 44- | 46  | 47- | 48  | 50- | -52 | 54  | -55 | 56- | 57  | 58  | -59 |

| Men's size (trousers)         | 36       | 38                  | 40    | 42    | 44    | 46    | 48    | 50     | 52      | 54      | 56      | 58      | 60      |
|-------------------------------|----------|---------------------|-------|-------|-------|-------|-------|--------|---------|---------|---------|---------|---------|
| Waist circumference in cm (2) | 68-72    | 72-76               | 76-80 | 80-84 | 84-88 | 88-92 | 92-96 | 96-100 | 100-104 | 104-108 | 108-112 | 112-116 | 116-120 |
|                               |          | EU-D-BE-NL-IT-CZ-SK |       |       |       |       |       |        |         |         |         |         |         |
|                               | 42       | 44                  | 46    | 48    | 50    | 52    | 54    | 56     | 58      | 60      | 62      | 64      | 66      |
|                               | FR-SP-PT |                     |       |       |       |       |       |        |         |         |         |         |         |
| International equivalents     | 36       | 38                  | 40    | 42    | 44    | 46    | 48    | 50     | 52      | 54      | 56      | 58      | 60      |
|                               |          |                     |       |       |       |       |       |        |         |         |         |         |         |
|                               | 26       | 28                  | 30    | 32    | 34    | 36    | 38    | 40     | 42      | 44      | 46      | 48      | 50      |

## Ser women's clothing



#### To order clothing, check the following measurements:

**Trousers:** order the size corresponding with the largest of your waist (2) or hip measurements (3). Jacket: order the size corresponding with the largest of your chest (1) or waist measurements (2). Coveralls:

order the size corresponding with the largest of your chest, waist or hip measurements (see table below).

| Women's winter clothing size  | 30               | 32  | 34    | 36 | 38    | 40  | 42          | 44  | 46    | 48    | 50    | 52    | 54    | 56    | 58    | 60  |
|-------------------------------|------------------|-----|-------|----|-------|-----|-------------|-----|-------|-------|-------|-------|-------|-------|-------|-----|
| Chest in cm (1)               | 72               | 76  | 80    | 84 | 88    | 92  | 96          | 100 | 104   | 108   | 112   | 116   | 120   | 124   | 128   | 132 |
| Waist circumference in cm (2) | 60               | 64  | 68    | 72 | 76    | 80  | 84          | 88  | 92    | 96    | 100   | 104   | 108   | 112   | 116   | 120 |
| Pelvis in cm (3)              | 82               | 85  | 88    | 91 | 94    | 97  | 100         | 103 | 106   | 109   | 112   | 115   | 118   | 121   | 124   | 127 |
| Equivalence in letters        | х                | XS  |       | S  |       | м   |             | L   |       | XL    |       | 2XL   |       | 3XL   |       | (L  |
| Number equivalence            | 0                |     | 1     |    | 2     |     | 3           |     | 4     |       | 5     |       | 6     |       |       |     |
|                               | EU-D-BE-NL-CZ-SK |     |       |    |       |     |             |     |       |       |       |       |       |       |       |     |
|                               | 28               | -30 | 32-34 |    | 36-38 |     | 40-42 44-46 |     | -46   | 48-50 |       | 52-54 |       | 56-58 |       |     |
|                               | FR-SP-PT         |     |       |    |       |     |             |     |       |       |       |       |       |       |       |     |
| Internetical control and      | 30               | -32 | 34-36 |    | 38-40 |     | 42-44       |     | 46-48 |       | 50-52 |       | 54-56 |       | 58-60 |     |
| International equivalents     |                  |     |       |    |       |     |             | U   | K     |       |       |       |       |       |       |     |
|                               | 2.               | -4  | 6     | -8 | 10    | -12 | 14-16       |     | 18-20 |       | 22-24 |       | 26-28 |       | 30-32 |     |
|                               |                  |     |       |    |       |     | 11          |     |       |       |       |       |       |       |       |     |
|                               | 34               | -36 | 38-   | 40 | 42-   | 44  | 46          | -48 | 50    | -52   | 54    | -56   | 58    | -60   | 62    | -64 |

### Chest size - Must be measured at the strongest point. Waist size - Must be measured

horizontally around the natural waistline.
 Hip size - Must be measured at the strongest point.

60

| Women's workwear size (top)   | 30                 | 32          | 34    | 36    | 38    | 40        | 42       | 44    | 46    | 48    | 50  | 52  |  |
|-------------------------------|--------------------|-------------|-------|-------|-------|-----------|----------|-------|-------|-------|-----|-----|--|
| Chest in cm (1)               | 82                 | 86          | 86 90 |       | 90    | 94        | 94       | 98    | 98    | 102   | 102 | 106 |  |
| Waist circumference in cm (2) | 60                 | 64          | 68 72 |       | 76    | 80        | 84       | 88    | 92    | 96    | 100 | 104 |  |
| Pelvis in cm (3)              | 82                 | 82 85 88 91 |       | 94    | 97    | 100       | 103      | 106   | 109   | 112   | 115 |     |  |
| Equivalence in letters        | XS S               |             |       |       | 1     | M L       |          |       |       | XL    |     | 2XL |  |
| Number equivalence            | nber equivalence 0 |             | 1     |       | 2     |           | 3        |       | 4     |       | 5   |     |  |
|                               |                    |             |       |       |       | EU-D-BE-I | NL-CZ-SK |       |       |       |     |     |  |
|                               | 28-30 32-34        |             | -34   | 36-38 |       | 40-42     |          | 44-46 |       | 48    | -50 |     |  |
|                               | FR-SP-PT           |             |       |       |       |           |          |       |       |       |     |     |  |
|                               | 30                 | 30-32 34-36 |       | 38-40 |       | 42-44     |          | 46-48 |       | 50-52 |     |     |  |
| International equivalents     | UK                 |             |       |       |       |           |          |       |       |       |     |     |  |
|                               | 2                  | -4          | 6     | -8    | 10    | -12       | 14       | -16   | 18    | -20   | 22- | -24 |  |
|                               |                    |             |       |       |       | 11        |          |       |       |       |     |     |  |
|                               | 34                 | -36         | 38    | -40   | 42-44 |           | 46-48    |       | 50-52 |       | 54  | -56 |  |

| Women's workwear size (trousers) | 34       | 36               | 38    | 40    | 42    | 44    | 46    | 48    | 50     | 52      |  |  |  |
|----------------------------------|----------|------------------|-------|-------|-------|-------|-------|-------|--------|---------|--|--|--|
| Waist circumference in cm (2)    | 66-70    | 70-74            | 74-78 | 78-82 | 82-86 | 86-90 | 90-94 | 94-98 | 98-102 | 102-106 |  |  |  |
|                                  | 1        | EU-D-BE-NL-CZ-SK |       |       |       |       |       |       |        |         |  |  |  |
|                                  | 32       | 34               | 36    | 38    | 40    | 42    | 44    | 46    | 48     | 50      |  |  |  |
|                                  | FR-SP-PT |                  |       |       |       |       |       |       |        |         |  |  |  |
| International equivalents        | 34       | 36               | 38    | 40    | 42    | 44    | 46    | 48    | 50     | 52      |  |  |  |
|                                  | ик       |                  |       |       |       |       |       |       |        |         |  |  |  |
|                                  | 2        | 4                | 6     | 8     | 10    | 12    | 14    | 16    | 18     | 20      |  |  |  |
|                                  |          |                  |       |       |       |       |       |       |        |         |  |  |  |
|                                  | 38       | 40               | 42    | 44    | 46    | 48    | 50    | 52    | 54     | 56      |  |  |  |

## **Caundry** symbols .....

| CHLORINATION  | IRONING                           | TUMBLE DRYING   | WAS   | SHING ,  | DRY CLEANING  |
|---|-----------------------------------|---|---|--|---|
| $ $ $\triangle$   |                                   | $\Box$  |   | $\simeq$   | O   |
| Bleach<br>treatment,<br>diluted and cold<br>chlorination. | Maximum<br>temperature<br>200°C.  | There are no<br>temperature restrictions<br>for tumble drying after<br>washing. | MAXIMUM TEM   | Reduced mechanical<br>action (1), rinsing<br>at decreasing<br>temperature, reduced                 | All usual solvents according to the normal process.   |
|   |                                   |   | MAXIMUM TEM   | spin-drying.   |   |
| No chlorination.  | Maximum<br>temperature<br>150 °C. | Tumble dry at a<br>moderate temperature<br>after washing (60°C<br>maximum).     | Normal mechanical action, normal rinsing and spin-drying. | Reduced mechanical<br>action (1), rinsing<br>at decreasing<br>temperature, reduced<br>spin-drying. | All solvents such as<br>perchloroethylene except<br>trichloroethylene using the<br>normal process (self-service<br>cleaning possible).  |
|   |                                   |   | MAXIMUM TEM   | IPERATURE 40°C   |   |
|   | Maximum<br>temperature<br>110 °C. | No tumble drying.   | Normal mechanical action, normal rinsing and spin-drying. | Reduced mechanical<br>action (1), rinsing<br>at decreasing<br>temperature, reduced<br>spin-drying. | F<br>Petroleum solvents only<br>(such as White Spirit) using<br>the normal process.   |
|   |                                   |   | MAXIMUM TEM   | IPERATURE 30°C   | Ð   |
|   | No ironing, no steam.             |   | mechanical action, Tempe                                  | vash only.<br>Prature at naximum.  | The bar below the circle<br>specifies certain cleaning<br>restrictions with regard<br>to mechanical stress and/<br>or temperature and/or<br>adding water to the solvent<br>(self-service cleaning not<br>possible). |
|   |                                   |   |   |  | No dry cleaning. Beware of stain removal.   |

(1) Corresponds to a lower than normal laundry load and a maximum bath volume, reduced mechanical action, rinsing at decreasing temperature, reduced spin-drying.

## WORKWEAR

#### **LEGEND 1782 TEE-SHIRT GREY**



#### EN 13463-1:2001

Short sleeves, round neck, made of cotton/elastane. Neckline with ribbed edging and clean-finish tape. Double stitching on the collar, sleeves, and bottom of the T-shirt. High-quality transfer print. Composition: 82 % cotton, 13 % polyester, 5 % elastane. Weight: 220 g/m<sup>2</sup>.

Available from the size S to 3XL.

#### **LEAGUE 57 TEE-SHIRT STRETCH**

P702KBR



#### EN 13463-1:2001

Short sleeves, round neck, made of cotton/elastane. Neckline with ribbed edging and clean-finish tape. Double stitching on the collar, sleeves, and bottom of the T-shirt. High-quality transfer print. Composition: 95 % cotton, 5 % elastane. Weight: 220 g/m<sup>2</sup>.

Available from the size S to 3XL.

#### **ACTIV LINE JACKET GREY/BLACK**



P702643

#### **ACTIV LINE JACKET BEIGE/BLACK**



P702644

reinforced with CORDURA® fabric. Quilted, lined with

Highly resistant guilted vest with a 100% cotton lining and kidney protector. Straight collar. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom. Multiple pockets.

Reinforcements in black 100% CORDURA® fabric on lower pockets and shoulders.

Screen printing possible.

Composition:

Main fabric : 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220g/m<sup>2</sup>. Padding: 100% polyester.

Lining: 100% cotton.

Available from the size XS to 4XL.

Highly resistant guilted vest with a 100% cotton lining and kidney protector. Straight collar. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom. Multiple pockets

Reinforcements in black 100% CORDURA® fabric on lower pockets and shoulders

Screen printing possible.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 320g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220g/m<sup>2</sup>. Padding: 100% polyester. Lining: 100% cotton.

Available from the size XS to 4XL.

#### **ACTIV LINE JACKET GREY/BLACK**

#### P702637

CORDURA<sup>®</sup> fabric. Black and in the back for better **ACTIV LINE JACKET BEIGE/BLACK** 

P702638



and in the back for better

Highly resistant jacket, with a straight collar and set-in sleeves. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets.

Black elastane on the shoulders and back for better mobility. Reinforced protections in black 100% CORDURA® fabric on high-stress areas. Screen printing possible.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size XS to 4XL.

#### **ACTIV LINE SUMMER JACKET GREY/BLACK**

Highly resistant jacket, with a straight collar and set-in sleeves.

Black elastane on the shoulders and back for better mobility.

Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Central YKK® nylon zipper closure under a top Velcro flap and snap button

Reinforced protections in black 100% CORDURA® fabric on high-stress

P702J07

CORDURA® fabric. Black elastane on the

**ACTIV LINE SUMMER JACKET BEIGE/BLACK** 

#### P702LUP

Reinforcements in

Black elastane on the for better mobility.



#### Highly resistant jacket, with a straight collar and set-in sleeves. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets.

at the bottom.

Composition:

Multiple pockets.

areas. Screen printing possible.

Available from the size XS to 4XL.

Black fabric with elastane on the shoulders and back for better mobility. Reinforced protections in black 100% CORDURA® fabric on high-stress areas. Screen printing possible.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 250g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220g/m<sup>2</sup>.

#### Available from the size XS to 4XL.

Highly resistant jacket, with a straight collar and set-in sleeves. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets.

Black fabric with elastane on the shoulders and back for better mobility. Reinforced protections in black 100% CORDURA® fabric on high-stress areas. Screen printing possible.

#### Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 250 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size XS to 4XL.

### OPSIAL

## WORKWEAR

#### **ACTIV LINE SUMMER JACKET GREEN/BLACK**

P702KJD





EN14404 when worn with

P702639

Highly resistant jacket, with a straight collar and set-in sleeves.

Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets

Black fabric with elastane on the shoulders and back for better mobility. Reinforced protections in black 100% CORDURA® fabric on high-stress areas. Screen printing possible.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 255 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size XS to 4XL.

#### EN 14404 + A1: 2010 TYPE 2 - NIVEAU 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button +1 interior hook. YKK<sup>®</sup> zipper fly. Multiple pockets.

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs. Interior hem system with Velcro.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size 26 to 50.

#### **ACTIV LINE TROUSERS BEIGE/BLACK**

P702640



#### **ACTIV LINE SUMMER TROUSERS GREY/BLACK**

P702J08



#### EN 14404 + A1 : 2010 TYPE 2 - LEVEL 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button +1 interior hook. YKK<sup>®</sup> zipper fly.

Multiple pockets.

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs.

Interior hem system with Velcro.

Composition: Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size 26 to 50.



Summer version (255 g/m<sup>2</sup>). appropriate knee pads.

#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button +1 interior hook. YKK<sup>®</sup> zipper fly.

Multiple pockets Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs.

Interior hem system with Velcro.

Composition: Main fabric: 65% cotton, 35% polyester CANVAS - 255g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>.

Available from the size 26 to 50.

## **ACTIV LINE TROUSERS GREY/BLACK**

#### **ACTIV LINE SUMMER TROUSERS BEIGE/BLACK**

P702LSZ

#### **OGT ACTIV LINE JACKET GREY/BLACK**



Black elastane on the

P70PSNV

#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button + 1 interior hook. YKK® zipper fly. Multiple pockets

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam.

Black CORDURA® fabric reinforcements at the bottom of the legs. Interior hem system with Velcro.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 255g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225g/m<sup>2</sup>.

Available from the size 26 to 50.

Recycled jacket, 34% recycled content, very resistant, with a straight collar and set-in sleeves.

Recycled YKK<sup>®</sup> zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets.

Black fabric with elastane in the back under the shoulders for better mobility.

Reinforced protections in black 100% CORDURA® fabric on high-stress areas. Screen printing possible.

Composition:

Main fabric: 65% organic cotton, 35% recycled polyester - 250g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225g/m<sup>2</sup>.

Available from the size XS to 4XL.

#### **ACTIV LINE SUMMER TROUSERS GREEN/BLACK**

P702KJA

Summer version (255 g/m<sup>2</sup>). appropriate knee pads.

## **OGT ACTIV LINE TROUSERS GREY/BLACK**



P700SJH

EN14404 when worn

#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button +1 interior hook. YKK<sup>®</sup> zipper fly.

Multiple pockets.

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs.

Interior hem system with Velcro.

Composition: Main fabric: 65% cotton, 35% polyester CANVAS - 255g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>.

Available from the size 26 to 50.

#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Recycled pants, 34% recycled content, comfortable, very resistant with kidney cover.

Elasticated waist on the sides for better mobility.

Closure with snap button + 1 interior hook. Recycled YKK® zipper fly. Multiple pockets

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs.

Interior hem system with Velcro.

Composition:

Main fabric: 65% organic cotton, 35% recycled polyester - 250 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225 g/m².

Available from the size 26 to 50.

## WORKWEAR

#### **ACTIV LINE JACKET BLUE/BLACK**

#### P702LU0

and in the back for better

Highly resistant jacket, with a straight collar and set-in sleeves. Central YKK® nylon zipper closure under a top Velcro flap and snap button at the bottom.

Multiple pockets.

Black elastane on the shoulders and back for better mobility. Reinforced protections in black 100% CORDURA® fabric on high-stress

areas. Screen printing possible.

Composition:

Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size XS to 4XL.



Stretch jacket for women. Reinforcements in CORDURA® fabric. Stretch

Very resistant stretch jacket for women, with a straight collar and set-in sleeves.

Central YKK® nylon zipper closure under a top Velcro flap. Reinforced protections in black 100% CORDURA® fabric on high-stress areas.

Screen printing possible.

Composition:

Main fabric: 66% cotton, 31% polyester, 3% elastane - 260 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>.

Available from the size XS to 3XL.

#### **ACTIV LINE TROUSERS BLUE/BLACK**

P702LFK

Pants compliant with

#### **TROUSERS ACTIV LINE WOMEN GREY/ BLACK**



P702LWC

EN14404 when worn with

#### EN 14404 + A1 : 2010 TYPE 2 - LEVEL 0

Comfortable and highly resistant pants with a kidney cover. Elasticated waist on the sides. Closure with snap button +1 interior hook. YKK<sup>®</sup> zipper fly.

Multiple pockets.

Knee pockets in black 100% CORDURA® fabric with an adjustable system. Reinforced crotch (triple stitching), 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs.

Interior hem system with Velcro.

Composition: Main fabric: 65% cotton, 35% polyester CANVAS - 320 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 220 g/m<sup>2</sup>.

Available from the size 26 to 50.

#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Comfortable and highly resistant women's stretch pants with a kidney cover.

Elasticated waist on the sides for better mobility. Closure with snap button + 1 interior hook. YKK® zipper fly.

Multiple pockets Knee pockets in black 100% CORDURA® fabric.

Reinforced crotch, 80 cm inseam.

Black CORDURA® fabric reinforcements at the bottom of the legs. Interior hem system with Velcro.

Composition:

Main fabric: 66% cotton, 31% polyester, 3% elastane - 260 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>.

Available from the size 4 to 20.

P702LWA

#### **ORIGINAL BLACK DENIM JACKET**

#### STRETCH DENIM JEANS BLUE

P702JP5



Quilted DENIM CORDURA® jacket, comfortable and highly resistant. Central YKK® nylon zipper closure. Multiple functional interior and exterior pockets. Semi-elasticated waist and cuffs with gusset for better mobility and snap button tightening tabs. Reinforced protections in black 100% Cordura® fabric on the shoulders and cuffs. Screen printing possible.

Composition:

Main fabric : 85% cotton, 15% Cordura® - 310 g/m². Secondary fabric : 100% nylon Cordura® - 245 g/m². Padding: 100% polyester. Lining: 100% polyester.

Available from the size S to 2XL.



Raw and stylish denim.

Stretch jeans. Excellent comfort thanks to the stretch fabric and elasticated

waist. YKK® zipper fly. Multiple pockets. Stretch and breathable fabric reinforcement at the crotch. Reflective piping at the bottom of the legs Interior hem system with Velcro. Inseam: 84 cm. Composition: Main fabric: 98% cotton, 2% elastane. Secondary fabric: 65% polyester, 24% Coolmax® 11% elastane.

Available from the size 36 to 60.

#### **ORIGINAL BLACK DENIM TROUSERS**

P702645

P70211D

Mainly made of CORDURA® Denim fabric.

### **ACTIV LINE SUMMER BERMUDA SHORTS GREY/BLACK**

P702LTM



**BODY PROTECTION** 

Comfortable and extremely durable pants in CORDURA® Denim. 2 tool pockets in black 100% CORDURA® + 9 functional pockets. Knee pockets in black 100% CORDURA® fabric with an adjustable system.

Reinforced crotch, 84 cm inseam. Black CORDURA® fabric reinforcements at the bottom of the legs. Interior hem system with Velcro.

Composition: Main fabric: 85% cotton - 15% CORDURA® - 310 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA® - 245 g/m<sup>2</sup>.

Available from the size 26 to 50.

Comfortable and highly resistant Bermuda shorts with a kidney cover and elastic waistband for more ease. YKK<sup>®</sup> nylon zip fly. Multiple pockets. Reinforced crotch. Flat retro-reflective strip under the thigh pockets. Composition: 65% cotton, 35% polyester CANVAS - 255 g/m<sup>2</sup>.

Available from the size 26 to 50.

## WORKWEAR

#### ACTIV LINE SUMMER BERMUDA SHORTS BEIGE/BLACK

Comfortable and highly resistant Bermuda shorts with a kidney cover and

P702LTL



elastic waistband for more ease.

Available from the size 26 to 50.

YKK<sup>®</sup> nylon zip fly. Multiple pockets. Reinforced crotch.

Accessories

Summer version (255g/m<sup>2</sup>). Comfortable and durable. Kidney cover and reinforced crotch. STRETCH DENIM BERMUDA BLUE

#### P702MZ0

Bermuda in raw and stylish denim. Excellent comfort.

Stretch jean bermuda with multiple pockets. Elasticated waist. YKK® zipper fly. Stretch and breathable fabric reinforcement at the crotch. Composition: Main fabric: 98% cotton, 2% elastane.

Secondary fabric: 65% polyester, 24% Coolmax®, 11% elastane.

Available from the size 26 to 50.

#### ACTIV BELT BLACK METAL BUCKLE

Flat retro-reflective strip under the thigh pockets.

Composition: 65% cotton, 35% polyester CANVAS - 255 g/m<sup>2</sup>.

P702G7E



#### EN 13463-1:2001

Belt with metal buckle. Black 100% cotton braid cord. Length: 128 cm. Width: 4 cm.

Single size.



#### EN 14404 + A1 : 2010 TYPE 2 - NIVEAU 0

Protective knee pads to slip into the knee pockets provided for this purpose.

EVA foam, a real shock absorber, flexible, and comfortable. Height-adjustable and perfectly suitable for OPSIAL ACTIV'LINE pants. Dimensions: H24.5 x W15 x L2 cm. Weight: 80 g (per pair).

#### Single size.

## 0

## RAIN AND COLD

#### FRIESK THERMAL UNDER SHIRT BLACK

Thermal underwear



Good value for money.

P702MZ3

Long-sleeved thermal t-shirt, made of stretchy material with a fitted cut, providing a "second skin" effect. Thermolactyl® label: ensures excellent thermal insulation and optimal

Thermolactyl® label: ensures excellent thermal insulation and optimal moisture management.

Anti-friction design: Flat seams prevent any irritation. Ventilation zones (underarms and back) for better airflow.

Anti-bacterial treatment.

Composition:

61% recycled polyester, 36% polyamide, 3% elastane.

Available from the size S/M to 2XL/3XL.



Good value for

P702M72

Thermal long johns, made of stretchy material. Fitted cut, providing a "second skin" effect. Thermolactyl<sup>®</sup> label: ensures excellent thermal insulation and optimal moisture management. Anti-friction design: Flat seams prevent any irritation. Ventilation zones for better airflow. Anti-bacterial treatment. Composition: 61% recycled polyester, 36% polyamide, 3% elastane.

Available from the size S/M to 2XL/3XL.

#### HELMER OGT THERMAL UNDER SHIRT GREY

Thermal underwear



| R TOCKT |  |
|---------|--|
| PSIAL   |  |
|         |  |

P702LFH



51% recycled polyester. Fhermolactyl label: Fhermal insulation guaranteed.

#### EN 13463-1:2001

Long-sleeved thermal t-shirt, made of stretchy material with a fitted cut, providing a "second skin" effect. Thermolactyl® label: ensures excellent thermal insulation and optimal

Thermolactyl® label: ensures excellent thermal insulation and optimal moisture management.

Anti-friction design: Flat seams prevent any irritation. Ventilation zones (underarms and back) for better airflow. Anti-bacterial treatment.

Composition:

61% recycled polyester, 36% polyamide, 3% elastane.

Available from the size S/M to 2XL/3XL.

#### BALTSAR OGT THERMAL UNDER PANTS GREY

Thermal underwear



**OPSIAL** 

61% recycled polyester. Thermolactyl label: Thermal insulation guaranteed.

#### EN 13463-1:2001

Thermal long johns, made of stretchy material with a fitted cut, providing a "second skin" effect.

Thermolactyl® label: ensures excellent thermal insulation and optimal moisture management.

Anti-friction design: Flat seams prevent any irritation. Ventilation zones for better airflow. Anti-bacterial treatment.

Composition:

61% recycled polyester, 36% polyamide, 3% elastane.

Available from the size S/M to 2XL/3XL.

P702LFI

FRIESK THERMAL UNDER PANTS BLACK

## RAIN AND COLD

#### **POL'R POLAR FLEECE SWEATER GREY**

Waistcoats and fleeces



Fleece pullover in polyester knit - 180 g/m<sup>2</sup>.

Straight zip collar with recycled zipper.

Raglan sleeves for added comfort.

Available from the size S to 3XL.

P702593

#### POL'R OGT POLAR FLEECE SWEATER DARK GREY

Waistcoats and fleeces



100% recycled materials. Warmth and lightness.

#### EN 13463-1:2001

Fleece pullover in recycled polyester knit. Straight zip collar with recycled zipper. Raglan sleeves for added comfort. Composition: 100% recycled polyester - 180 g/m<sup>2</sup>.

Available from the size S to 3XL.

#### **UGO SWEATER GREY**

EN 13463-1:2001

Composition:

100% polyester knit.

Waistcoats and fleeces



P702KV2

#### EN 13463-1:2001

Fleece pullover made of brushed polyester/elastane on the inside. MicroGrid technology: the grid pattern on the inner face maximizes warmth and breathability while reducing the weight of the fabric. Straight zip collar.

Raglan sleeves for added comfort.

Zippered pocket on the left arm, ideal for a mobile phone. Elasticated cuffs and bottom of the jacket for better insulation. Also available as a long zip sweater : ENZO sweater (P702KV1) Composition:

Main fabric: 93% polyester, 7% elastane. Secondary fabric: 100% polyester.

Available from the size S to 4XL.



#### EN 13463-1:2001

Fixed hooded sweatshirt, zippered, made of recycled cotton/polyester fleece.

2 lower pockets, 1 pocket on the left arm.

Recycled zippers. Elbow reinforcements for a prolonged durability.

Urban look with leather-like pullers.

Composition:

Main fabric: 50% recycled cotton, 50% recycled polyester. Secondary fabric: 100% recycled polyester.

Available from the size S to 4XL.

P70CW5B

#### **JACKET SOLA II BLUE**

#### Waistcoats and fleeces

EN 13463-1:2001

Straight collar.

Composition:

P702FD0

Warm and comfortable. customisable with



Fleece jacket, 100% polyester - 350 g/m<sup>2</sup>.

Main fabric: 93% polyester, 7% elastane. Secondary fabric: 100% polyester.

Available from the size S to 2XL.

Zipper closure, 2 lower zippered pockets. Elasticated cuffs, drawstring at the bottom of the jacket.



JACKET SOLA II BLACK

Waistcoats and fleeces

Warm and comfortable. customisable with

P702FD1

#### EN 13463-1:2001

Fleece jacket, 100% polyester - 350 g/m<sup>2</sup>. Straight collar. Zipper closure, 2 lower zippered pockets. Elasticated cuffs, drawstring at the bottom of the jacket. Composition: Main fabric: 93% polyester, 7% elastane. Secondary fabric: 100% polyester.

SOLA OGT POLAR FLEECE JACKET BLACK

Available from the size XS to 2XL.



# Waistcoats and fleeces P70SUY0 customisable with

#### EN 13463-1:2001

Fleece jacket made 100 % of recycled polyester, lined and with a straight collar. 2 lower zippered pockets. Recycled zipper closure. Drawstring at the bottom of the jacket.

Composition:

Shell: 100% recycled polyester - 330 g/m<sup>2</sup>. Lining: 100% recycled polyester.

Available from the size XS to 3XL.

#### EN 13463-1:2001

Fleece jacket made 100% of recycled polyester, lined with a straight collar. 2 lower zippered pockets. Recycled zipper closure. Drawstring at the bottom of the jacket. Composition:

Shell: 100% recycled polyester - 330 g/m<sup>2</sup>. Lining: 100% recycled polyester.

Available from the size XS to 3XL.

71

## RAIN AND COLD

#### **ENZO LONG ZIP SWEATER GREY**

Waistcoats and fleeces



P702KV1

Warm and breathable be combined with the

#### **ARDEN LONG PADDED VEST NAVY BLUE**



1 phone pocket, 1 pen pocket and 2 patch pockets at the waist.

Outer fabric: 65% polyester, 35% cotton. Padding: 100% polyester.

Fleece jacket made of brushed polyester/elastane on the inside. MicroGrid technology: the grid pattern on the inner face maximizes warmth and breathability while reducing the weight of the fabric. Straight collar. 3 zippered pockets. Zipper closure. Raglan sleeves for added comfort. Elasticated cuffs and bottom of the

jacket for better insulation.

Also available as a sweater: Ugo sweater (P702KV2).

Composition: Main fabric: 93% polyester, 7% elastane. Secondary fabric: 100% polyester.

Available from the size S to 4XL.

#### **MOKAULTIPOCKET VEST NAVY BLUE**

Waistcoats and fleeces

P701206

#### NORPOOL EVO VEST DARK BLUE

Quilted vest with collar.

Lining: 100% polyester.

Available from the size S to 3XL.

Zipper closure.

Composition:

Waistcoats and fleeces





P70CTFJ

Quilted vest, water-repellent, made of polyester Oxford / PVC-coated Taslan®

Straight collar lined with fleece. Reflective piping. Insulating quilted lining to protect from the cold. 4 zippered pockets, including 1 interior pocket. Fitted cut. Screen printing flap.

Composition:

Main fabric: 100% PVC-coated polyester. Lining: 100% polyester. Padding: 100% polyester.

Available from the size S to 3XL.

Quilted vest made of polyester/cotton. Mandarin collar. Zipper closure under snap buttons flap. 6 pockets, including 1 phone pocket.

Composition: Outer fabric: 65% polyester, 35% cotton. Padding: 100% polyester. Lining: 100% polyester.

Available from the size S to 3XL.

P701205

#### **MOKA SLEEVES JACKET NAVY REMOV. SLEEVES**

P702592



Blouson with removable sleeves made of polyester/cotton. Mandarin collar. Zipper closure under snap buttons flap. 6 pockets, including 1 phone pocket. Elasticated cuffs.

Composition: Outer fabric: 65% polyester, 35% cotton. Padding: 100% polyester. Lining: 100% polyester.

Available from the size S to 3XL.

#### **KANYON OGT PADDED VEST GREY DARK BLUE**

#### Waistcoats and fleeces



Quilted water-repellent vest made of recycled nylon/polyester. Thermo-reflective WARM-UP technical lining, made from recycled materials, maximizes warmth on the back. Insulating recycled padding. Reverse anti-dirt zipper. 2 lower pockets + 1 interior chest pocket, all zippered. Comes with a storage bag. Composition: Main fabric: 100% recycled nylon. Lining: 100% recycled polyester. Padding: 90% recycled polyester, 10% polyester.

**KANYON WOMAN OGT PADDED VEST BLACK** 

Available from the size XS to 4XL.



Quilted water-repellent vest made of recycled nylon/polyester. Thermo-reflective WARM-UP technical lining, made from recycled materials, maximizes warmth on the back.

Insulating recycled padding.

Reverse anti-dirt zipper.

2 lower pockets + 1 interior chest pocket, all zippered. Comes with a storage bag.

Composition:

Main fabric: 100% recycled nylon. Lining: 100% recycled polyester. Padding: 90% recycled polyester, 10% polyester.

Available from the size XS to 6XL.



P70Y8N5



Quilted water-repellent vest, women's cut, made of recycled nylon/ polyester.

Thermo-reflective WARM-UP technical lining, made from recycled materials, maximizes warmth on the back.

Insulating recycled padding.

2 lower pockets + 1 interior chest pocket, all zippered.

Comes with a storage bag.

Composition:

Main fabric: 100% recycled nylon. Lining: 100% recycled polyester. Padding: 90% recycled polyester, 10% polyester.

Available from the size XS to 4XL.

#### RAIN AND COLD

#### **TRAVIS QUILTED JACKET BLACK**

#### Jackets and parkas



Quilted body ensuring good thermal insulation. 2 lower zip pockets. Zipper closure. Raglan sleeves in stretch fabric for added comfort.

Composition: Main fabric: 64% polyester, 28% rayon, 8% spandex - 380 g/m². Secondary fabric: 100% nylon.

Available from the size S to 3XL.

itted cut, warmth, and rendy look.

P702KUY

GRANIT HOODIE GREY/HEATHER GREY Jackets and parkas

Warm and comfortable.

P70211Q

Zip-up sweatshirt with fixed hood made of polyester/elastane, with breathable softshell inserts. Multiple pockets. Zipper closure. Ribbed cuffs. Composition: Main fabric : 80% polyester, 20% elastane - 370 g/m<sup>2</sup>. Secondary fabric : 94 % polyester, 6 % elastane.

Available from the size S to 3XL.

#### SAVIO II SOFTSHELL JACKET BLACK

Jackets and parkas



Excellent comfort. Waterproof and breathable fabric.

Waterproof and breathable softshell jacket made of polyester. Fleece interior and breathable PU intermediate membrane. Straight collar.

Waterproof zippers. Adjustable bottom of the jacket with drawstring. 3 pockets.

Composition: Main fabric: 94% polyester, 6% elastane.

Available from the size S to 3XL.

#### BORAH SOFTSHELL JACKET GREY

Jackets and parkas



P702JTS

Excellent comfort Waterproof and breathable fabric

3-layer softshell jacket, windproof, water-resistant, and breathable. Adjustable hood in height and depth. Very comfortable stretch fabric with fleece interior. Ergonomic short cut, raglan sleeves. Multiple pockets. Special audio cable eyelet in the chest pocket. Velcro cuffs for better adjustment. Composition: 100% polyester - 370 g/m<sup>2</sup>.

Available from the size S to 3XL.

#### LOMA SOFTSHELL JACKET BLACK/GREY

#### Jackets and parkas

P70211B

Stylish, waterproof, breathable, and stretchy jacket with a comfortable design. Fleece-lined interior 1 chest pocket, and 2 large functional zippered pockets with double slider

(ventilation opening at the top and large functional pocket at the bottom). Reinforced shoulders, sides, and cuffs.

Drawstring at the bottom of the jacket. Elastic cuffs.

Composition: Main fabric: 94% polyester, 6% elastane - 250 g/m². Secondary fabric: 80 % polyester, 20% elastane.

Available from the size S to 3XL.

Windproof softshell jacket, women's cut, ultra-light.

Integrated hood with a 3-points adjustment system. Stretch material for greater freedom of movement. 3 zippered pockets. Zipper closure. Elasticated cuffs and hem for better insulation.

Composition: Main fabric: 94% polyester, 6% elastane. Lining: 100% polyester.

Available from the size S to 3XL.

#### **CLIDE STRECH SOFTSHELL JACKET DARK BLUE**

Jackets and parkas

P702KV0



breathable fabric. Ideal

Windproof softshell jacket, ultra-light. Integrated hood. Stretchy fabric for greater freedom of movement. Water-repellent and breathable material. 3 zippered pockets. Zipper closure. Elastic cuffs and hem for better insulation. Composition:

Main fabric : 94% polyester, 6% elastane. Lining: 100% polyester.

Available from the size S to 3XL.

#### UDSON TECHNICAL RAIN JACKET PETROL BLUE

Jackets and parkas



P702KUX

#### BONY STRETCH SOFTSHELL JACKET WOMAN BLUE Jackets and parkas

Windproof softshell jacket, ultra-light. Integrated hood. Stretchy fabric for greater freedom of movement. Water-repellent and breathable material. 3 zippered pockets. Zipper closure. Elastic cuffs and hem for better insulation. Composition: Main fabric : 94% polyester, 6% elastane. Lining: 100% polyester.

Available from the size S to 4XL.

parka when combined

#### RAIN AND COLD

#### JACKET GLENN OGT NAVY



Bomber-style jacket, warm, waterproof, and breathable, made from recycled materials<sup>®</sup>. Excellent insulation thanks to quilting and faux fur lining. Durable outer fabric with a waterproof and breathable membrane on the back. Sealed seams. 4 exterior pockets, 1 zippered interior pocket. Silkscreen printing hatch.

Composition: Outer fabric: 100% recycled polyester. Padding: 90% recycled polyester, 10% polyester. Navy lining: 100% recycled polyester. Sherpa-style faux fur lining: 80% recycled polyester, 20% polyester.

Available from the size S to 4XL.

#### **RIPSTOP PARKA NAVY POLAR FLEECE LINED**

Jackets and parkas

P702590



Ultra-resistant Ripstop fabric, tear-resistant. Fleece interior.



Waterproof jacket in PVC-coated RIPSTOP® polyester with removable sleeves. Hood in the collar. Fleece-lined stand-up collar. Fixed quilted lining. Reflective piping. Semi-elastic adjustable cuffs. Sealed seams. Elastic drawstring at the waist. 10 pockets. Silkscreen printing hatch.

Composition:

Outer fabric: 100% PVC-coated polyester. Removable lining: 100% polyester. Padding: 100% polyester.

Available from the size S to 3XL.

#### **4 IN 1 RIPSTOP PARKA GREY**

Jackets and parkas

P702601



Hood in the collar.
 4-in-1 Parka + Windbreaker + Fleece Jacket + Fleece Vest. Waterproof parka in PVC-coated RIPSTOP® polyester. Hood in the collar. Stand-up collar. Reinforced structure for better tear resistance. Removable fleece lining and removable sleeves. Reflective piping. Semi-elastic adjustable cuffs. Sealed seams. Drawstring at the bottom of the jacket. 8 pockets.

Composition:

Outer fabric: 100% PVC-coated polyester. Lining: 100% polyester. Padding: 100% polyester.

Available from the size S to 3XL.

Waterproof parka in PVC-coated RIPSTOP® polyester. Hood in the collar. Fleece-lined stand-up collar. Fixed quilted lining. Reflective piping. Semielastic adjustable cuffs. Sealed seams. Elastic drawstring at the waist. 12 pockets. Silkscreen printing hatch.

Composition:

Outer fabric: 100% PVC-coated polyester. Lining: 100% polyester. Padding: 100% polyester.

Available from the size S to 3XL.

#### **TASMAN PARKA BLACK/BLUE**

#### Jackets and parkas



Warm, waterproof, and breathable quilted parka. Removable quilted hood lined with fleece. Fleece-lined stand-up collar. Long cut. Highly resistant micro-RIPSTOP outer fabric. Drawstrings at the waist and bottom of the parka. Sealed seams. Multiple pockets. Silkscreen printing hatch.

Composition:

Outer fabric: 100% PVC-coated polyester. Lining: 100% polyester. Padding: 100% polyester.

Available from the size S to 3XL.

#### **ISAK OGT PARKA GREY**

Jackets and parkas



#### EN 343

Lightweight, warm, waterproof, and breathable parka made from recycled materials. Removable quilted hood. Slim fit. Lightweight and insulating technical quilting. Highly resistant nylon outer fabric with a waterproof and breathable membrane on the back. Sealed seams. 4 exterior pockets and 2 interior pockets, including one with a zipper. Silkscreen printing hatch. Built-in badge holder in the chest pocket.

#### Composition:

Outer fabric: 100% recycled nylon. Padding: 90% recycled polyester, 10% polyester. Lining: 100% recycled polyester.

#### Available from the size S to 4XL.

#### **4 IN 1 ACTIV LINE PARKA GREY/BLACK**

Jackets and parkas



4-in-1 Parka. Durable, flexible, and lightweight. Breathable (800 mvp),

P702119



## **CONVERTIBLE NECK WARMER BLACK**

Accessories

P702IIC

P702G6M

2-in-1 convertible neck warmer that can convert into a hat. Premium quality (250 g/m<sup>2</sup> antipill fleece) for a perfect fit and extended service life. Soft and pleasant to the touch. Secure drawstring.

Single size.



Parka + Windbreaker + Softshell Jacket + Quilted Vest. Windproof and breathable Windbreaker made of PU-coated polyamide RIPSTOP® TASLAN®. Stand-up collar. Adjustable hood. Semi-elastic

adjustable cuffs. 6 pockets. Detachable quilted inner jacket made of PU-coated polyamide and windproof Softshell. Removable sleeves. Adjustable bottom of the jacket with a drawstring.

Composition Outer layer: Outer fabric: 100% PU-coated polyamide. Lining: 100% polyester. Composition Inner layer:

Main fabric : 96% polyester, 4% elastane.

Available from the size S to 3XL.

## Highly resistant micro RIPSTOP outer fabric.

P702JTR

#### RAIN AND COLD

#### **AUTAN PVC RAINSUIT YELLOW**

rain clothing



Rain set in PVC / polyester. Jacket: Fixed hood with a drawstring. Zipper closure under snap flap. Cuffs with windproof elastic. Drawstring at the bottom of the jacket. Pants: Drawstring at the waist. Adjustable bottom of the pants with snap buttons. Composition : 65% PVC, 35% polyester.

Available from the size M to 2XL.



P701209



P701210

P701212

Rain set in PVC / polyester. Jacket: Fixed hood with a drawstring. Zipper closure under snap flap. Cuffs with windproof elastic. Drawstring at the bottom of the jacket. Pants: Drawstring at the waist. Adjustable bottom of the pants with snap buttons. Composition:

65% PVC, 35% polyester.

Available from the size M to 2XL.

#### MARIN PVC RAINSUIT BLUE

P701213



#### EN 13463-1:2001

Rain set in PVC-coated polyester. Integrated hood in the collar. Zipper closure under snap flap. Drawstring at the bottom of the jacket.

Pants: Elastic drawstring at the waist. Closure with snap buttons. Adjustable bottom of the pants with snap buttons.

Composition:

65% polyester, 35% PVC.

Available from the size M to 2XL.

Rain set in PVC-coated polyester. Integrated hood in the collar. Zipper closure under snap flap. Drawstring at the bottom of the jacket. Pants: Elastic drawstring at the waist. Closure with snap buttons. Adjustable bottom of the pants with snap buttons.

Composition: 65% polyester, 35% PVC.

Available from the size M to 2XL.

#### MARIN PVC RAINSUIT GREEN

rain clothing

#### LEVAN PU RAINSUIT BLUE

rain clothing

P701217

P701216

Suitable for

Comfortable. Suitable for

LEVAN PU RAINSUIT YELLOW

rain clothing

#### P701215

Comfortable. Suitable for

Polyester PU-coated rain set. Rain jacket with integrated hood in the collar. Zipper closure under snap button flap. Cuffs with windproof elastic. Drawstring at the bottom of the jacket. Rain pants with elastic waistband. Closure with snap buttons.

Adjustable bottom of the pants with snap buttons. Composition: 65% PVC-PU, 35% polyester.

Available from the size M to 2XL.

Polyester PU-coated rain set. Rain jacket with integrated hood in the collar. Zipper closure under snap button flap. Cuffs with windproof elastic. Drawstring at the bottom of the jacket.

Rain pants with elastic waistband. Closure with snap buttons. Adjustable bottom of the pants with snap buttons.

Composition: 65% PVC-PU, 35% polyester.

Available from the size M to 2XL.

#### **LEVAN PU RAINSUIT GREEN** rain clothing



Polyester PU-coated rain set. Rain jacket with integrated hood in the collar. Zipper closure under snap button flap. Cuffs with windproof elastic. Drawstring at the bottom of the jacket.

Rain pants with elastic waistband. Closure with snap buttons.

Adjustable bottom of the pants with snap buttons.

Composition: 65% PVC-PU, 35% polyester.

Available from the size M to 2XL.



# **BODY PROTECTION**

#### HIGH-VISIBILITY CLOTHING

#### **HI-VIS YELLOW 2-BAND WAISTCOAT**



#### EN ISO 20471

2 retro-reflective microbead bands of 5 cm. Central closure with self-gripping fastener. 25 wash cycles at 40°C.

Available from the size S to 2XL.

#### HI-VIS ORANGE 2-BAND WAISTCOAT





P702IAQ

P702IAS

#### EN ISO 20471

P702IAP

2 retro-reflective microbead bands of 5 cm. Central closure with self-gripping fastener. 25 wash cycles at 40°C.

Available from the size S to 2XL.

# 

#### EN ISO 20471

3 retro-reflective microbead bands of 5 cm. Central closure with self-gripping fastener. 25 wash cycles at 40°C.

Available from the size L to 2XL.







#### EN ISO 20471

3 retro-reflective microbead bands of 5 cm. Central closure with self-gripping fastener. 25 wash cycles at 40°C.

Available from the size L to 2XL.



#### **HIGH-VIS ACTIV LINE JACKET YELLOW/NAVY**

P70TC04

#### **HIGH-VIS ACTIV LINE JACKET ORANGE/NAVY**

P70S0F1




EN ISO 20471 certified after 25 wash cycles at 60°C





wash cycles at 60°C



RIS-3279-TOM:

#### EN 13463-1:2001

Class 3\* jacket, highly resistant, stand-up collar, multi-pocket and set-in sleeves

50 mm retroreflective piping.

Central YKK<sup>®</sup> nylon zip under flap.

CORDURA® fabric reinforcements on the most exposed areas. Can be screen printed.

#### Composition :

Main fabric: 61% cotton, 39% polyester - 250 g/m<sup>2</sup>, Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>. \* Certified EN ISO 20471 class 2 for sizes 0 to 1.

Available from the size XS to 4XL.

#### EN 13463-1:2001

Class 3\* jacket, highly resistant, stand-up collar, multi-pocket and set-in sleeves

50 mm retroreflective piping.

Central YKK<sup>®</sup> nylon zip under flap. CORDURA® fabric reinforcements on the most exposed areas.

Can be screen printed.

Composition :

Main fabric: 61% cotton, 39% polyester - 250 g/m<sup>2</sup>, Secondary fabric: 100% nylon CORDURA® - 225 g/m<sup>2</sup>. \* Certified EN ISO 20471 class 2 for sizes 0 to 1.

Available from the size XS to 4XL.

#### **HIGH-VIS ACTIV LINE TROUSERS YELLOW/NAVY**

Certified to EN ISO 20471

P70GEU7



60°C.

#### EN 13463-1:2001

Comfortable, heavy-duty class 2 trousers with liner cover. 70 mm retroreflective piping, elasticated waistband at sides.

YKK® zip fly. Multiple functional pockets. Knee pockets in 100% CORDURA® fabric. Reinforced crotch. Velcro inner hem system.

EN 14404 standard trousers that become PPE when worn with the appropriate knee pads.

Certified EN ISO 20471 after 25 wash cycles at 60°C. Composition :

Main fabric: 61% cotton, 39% polyester - 250 g/m<sup>2</sup>.

Available from the size 26 to 50.

**HIGH-VIS ACTIV LINE TROUSERS ORANGE/NAVY** 



Certified to EN ISO 20471 60°C.

EN ISO 20471 + A1 411 ∈∋ Class 2 RIS-3279-TOM: ISSUE 2

#### EN 13463-1:2001

Comfortable, heavy-duty class 2 trousers with liner covers 70 mm retroreflective piping, elasticated waistband at sides. YKK<sup>®</sup> zip fly. Multiple functional pockets. Knee pockets in 100% CORDURA® fabric. Reinforced crotch. Velcro inner hem system. EN 14404 standard trousers that become PPE when worn with the appropriate knee pads. Certified EN ISO 20471 after 25 wash cycles at 60°C. Composition : Main fabric: 61% cotton, 39% polyester - 250 g/m<sup>2</sup>. Secondary fabric: 100% nylon CORDURA ® - 225 g/m<sup>2</sup>.

Available from the size 26 to 50.

P70B0N8

#### **HIGH-VISIBILITY CLOTHING**

#### **HI-VIS VEGA SOFTSHELL JACKET YELLOW/NAVY**



#### EN ISO 20471 / EN 14058

Stretch softshell jacket, waterproof and breathable, with fleece interior, certified EN 14058 for moderately cold environments (-5°C). Detachable hood.

Waterproof zipper closures.

Multiple pockets: 4 inner pockets.

Windproof cuffs with thumbholes.

Segmented microbead retro-reflective band 3M<sup>™</sup> ref 5510.

Composition:

Main fabric: 100% polyester elastane lined with micro-fleece. Micro-fleece lining: 100% polyester.

Available from the size S to 3XL.



#### EN ISO 20471 / EN 14058

Stretch softshell jacket, waterproof and breathable, with fleece interior, certified EN 14058 for moderately cold environments (-5 $^{\circ}$ C). Detachable hood. Waterproof zipper closures. Multiple pockets: 4 inner pockets. Windproof cuffs with thumbholes. Segmented microbead retro-reflective band 3M<sup>™</sup> ref 5510. Composition: Main fabric: 100% polyester elastane lined with micro-fleece. Micro-fleece lining: 100% polyester.

Available from the size S to 3XL.

#### **HI-VIS 2 IN 1 SIRIUS JACKET YELLOW/NAVY**



EN ISO 20471 EN ISO 20471 EN 14058 **\$** Sleeveless



With sleeves



P702LZU



#### **HI-VIS 2 IN 1 SIRIUS JACKET ORANGE/NAVY**

P702LZV





EN ISO 20471 / EN 14058

Jacket with removable guilted sleeves. Straight collar. Multiple pockets. Fixed fleece lining. Microbead retro-reflective bands. 25 wash cycles at 40°C. Composition: Main fabric: 100% polyester with PU coating. Fleece lining: 100% polyester.

Available from the size S to 6XL.

EN ISO 20471 / EN 14058

Jacket with removable quilted sleeves. Straight collar. Multiple pockets. Fixed fleece lining. Microbead retro-reflective bands. 25 wash cycles at 40°C. Composition: Main fabric: 100% polyester with PU coating. Fleece lining: 100% polyester.

Available from the size S to 6XL.

#### **HI-VIS 4 IN 1 SIRIUS PARKA YELLOW/NAVY**

#### P702171







With lining

#### EN ISO 20471 / EN 14058 / EN 343

Parka with hood and visor in the collar. Dual-slider central zipper closure. Multiple pockets: 5 pockets. Windproof ribbed cuffs. Possibility of screen printing. Composition: 100% polyester with PU coating.

Available from the size M to 6XL.



**HI-VIS 4 IN 1 SIRIUS PARKA ORANGE/NAVY** 



EN 14058 ΰ

With lining

#### EN ISO 20471 / EN 14058 / EN 343

Parka with hood and visor in the collar. Dual-slider central zipper closure. Multiple pockets: 5 pockets. Windproof ribbed cuffs. Possibility of screen printing. Composition:  $100 \stackrel{.}{\scriptscriptstyle \%}$  polyester with PU coating.

Available from the size S to 6XL.



#### EN 343 / EN ISO 20471

Parka with fluorescent hood and visor in the same colour as the parka, retractable into the collar.

Fixed grey fleece lining for the body and quilted lining for the sleeves. Dual-slider central zipper closure with snap buttons flap.

Multiple pockets: 4 pockets, including 1 interior pocket closed with Velcro. Sealed seams.

Interior windproof ribbed cuffs.

Possibility of screen printing.

Microbead retro-reflective bands conforming to EN ISO standard. Compliant with EN 20471 after 25 wash cycles at 40°C.

Composition:

100% polyester with PU coating.

Available from the size S to 6XL.

# 40°C.



#### EN 343 / EN ISO 20471

Parka with fluorescent hood and visor in the same colour as the parka, retractable into the collar.

Fixed grey fleece lining for the body and quilted lining for the sleeves. Dual-slider central zipper closure with snap buttons flap.

Multiple pockets: 4 pockets, including 1 interior pocket closed with Velcro. Sealed seams.

Interior windproof ribbed cuffs.

Possibility of screen printing. Microbead retro-reflective bands conforming to EN ISO standard. Compliant with EN 20471 after 25 wash cycles at 40°C.

Composition:

100% polyester with PU coating.

Available from the size S to 6XL.

P702LZP

P702171

EN ISO 20471

#### **HIGH-VISIBILITY CLOTHING**

#### **HI-VIS POLARIS TROUSERS YELLOW/NAVY**



#### EN ISO 20471 / EN 343

High-Visibility Multi-pocket Pants with 2 adjustable and removable crossed black elastic braces at the back.

Elasticated waist. Fly closed with a snap button. Sealed seams. Navy blue gusset at the crotch for ease of movement. Gusset at the ankle closed with 2 snap buttons.

Microbead retro-reflective material sewn in accordance with EN ISO 20471 standard.

Composition: Fabric 100% polyester with PU coating.

Available from the size S to 3XL.

#### EN ISO 20471 / EN 343

High-Visibility Multi-pocket Pants with 2 adjustable and removable crossed black elastic braces at the back. Elasticated waist. Fly closed with a snap button. Sealed seams. Navy blue gusset at the crotch for ease of movement. Gusset at the ankle closed with 2 snap buttons. Microbead retro-reflective material sewn in accordance with EN ISO 20471 standard. Composition:

EN 343

EN ISO 20471

Fabric 100% polyester with PU coating.

Available from the size S to 3XL.



#### **HI-VIS POLARIS TROUSERS ORANGE/NAVY** P702727

#### **HI-VIS DARIUS RAIN JACKET YELLOW/NAVY HI-VIS DARIUS RAIN JACKET ORANGE/NAVY** Rain clothing P702KUA Rain clothing P702KUB Soft, stretch PU-coated Soft, stretch PU-coated N M EN 343 EN ISO 20471 EN 343 ENIS020471

#### EN ISO 20471 / EN 343

HV Class 3 Rain Jacket (Class 2 in size S) with fixed hood and adjustable tightening system tucked into the collar. Certified EN 343 Class 3 for waterproofing. Multiple pockets: 2 lower pockets with Velcro closure.

Central zipper closure under a flap closed with a snap button. Soft-touch fabric. Raglan sleeves. Sealed seams.

Elasticated cuffs with tightening strap.

4 segmented retro-reflective bands, width 50 mm.

Composition:

Fabric 100% polyester with PU coating.

Available from the size S to 5XL.

#### EN ISO 20471 / EN 343

HV Class 3 Rain Jacket (Class 2 in size S) with fixed hood and adjustable tightening system tucked into the collar. Certified EN 343 Class 3 for waterproofing. Multiple pockets: 2 lower pockets with Velcro closure. Central zipper closure under a flap closed with a snap button. Soft-touch fabric. Raglan sleeves. Sealed seams. Elasticated cuffs with tightening strap. 4 segmented retro-reflective bands, width 50 mm. Composition: Fabric 100% polyester with PU coating.

Available from the size S to 5XL.



Certified EN 343 Class 3 for waterproofing.

Elasticated waist. 2 adjustable and removable black elastic braces.

Multiple pockets. Sealed seams. Soft-touch knit fabric.

Gusset at the bottom of the pants closed with a zipper and an adjustable strap with snap buttons. 2 segmented retro-reflective bands, width 50 mm.

Composition:

100% polyester with PU coating.

Available from the size S to 5XL.

HV Rain Jacket). Certified EN 343 Class 3 for waterproofing. Elasticated waist. 2 adjustable and removable black elastic braces. Multiple pockets. Sealed seams. Soft-touch knit fabric. Gusset at the bottom of the pants closed with a zipper and an adjustable strap with snap buttons. 2 segmented retro-reflective bands, width 50 mm. Composition: 100% polyester with PU coating.

Available from the size S to 5XL.

#### SHORT-TERM USE AND ACCESSORIES

#### PP WHITE UNISAFE PLUS COVERALL WITH HOOD

# Finisona Finisona Function Function

Breathable and antistatic protective suit in non-woven SMS.

Taped seams and adhesive flap on zipper to prevent penetration of liquids and particles.

Comfortable cut, knitted cuffs, 3-piece hood and elastic tightening at the waist, wrists and ankles.

Composition:

100% polypropylene.

Available from the size M to 2XL.



Breathable and antistatic protective coverall in non-woven SMS. Adhesive flap on zipper. Elastic tightening at the waist, wrists and ankles.

Composition: 100% polypropylene.

Available from the size M to 2XL.

#### PP WHITE OPTISAFE FIT COVERALL WITH HOOD P702FJE Stitched and covered 13034 13982 EN 14126 EN 1149-5 EN 1073-2 Ø L 4 $\boldsymbol{x}$ Chemical Type 5B Type 6B Protection Antistatic Protection against against radioactive particles rotectio agents

Water-repellent and anti-static protective suit in non-woven  $\ensuremath{\mathsf{SMS}}$  laminated with a micro-porous film.

Stitched and covered seams on the inside and adhesive flap on zipper to prevent the penetration of liquids and particles. Comfortable cut, knitted cuffs and elastic tightening at the waist, wrists

and ankles.

Available from the size M to 2XL.



Water-repellent and anti-static protective suit in non-woven  $\ensuremath{\mathsf{SMS}}$  laminated with a micro-porous film.

Stitched and covered seams on the inside and adhesive flap on zipper to prevent the penetration of liquids and particles. Comfortable cut and elastic tightening at the waist, wrists and ankles.

Available from the size M to 2XL.

#### 0



# FOOT PROTECTION

| LOGISTICS, SERVICES,<br>FINISHING WORK | 90  |
|--|-----|
| VERSATILE                              | 94  |
| CONSTRUCTION-OUTDOOR                   | 95  |
| INDUSTRY                               | 99  |
| WELDING                                | 101 |
| AGRI-FOOD                              | 101 |
| FIRST RANGE                            | 102 |

## Areas of application

|                                   | MODEL |  | CODE P                        | EN 20345:<br>2011 | ESD | LIGHT | BREATHABLE | WATER-<br>REPELLENT | WATERPROOF | HRO | 0% METAL |
|-----------------------------------|-------|--|-------------------------------|-------------------|-----|-------|------------|---------------------|------------|-----|----------|
|                                   | 6000  | STEP LEGEND<br>low-cut, green,<br>burgundy, blue       | P702JP1<br>P702LK1<br>P70JMXC | S1P SRC           | ~   | ~     |            |                     |            |     | ~        |
|                                   |       | STEP LEGEND<br>high-cut, blue                          | P70166W                       | S1P SRC           | ~   | ~     |            |                     |            |     | ~        |
| WORK                              |       | STEP LEGEND<br>low-cut, black                          | P702K1F                       | S3 SRC            | ~   | ~     |            | ~                   |            |     | ~        |
| <b>DNIHSINI</b>                   |       | STEP TRAIL<br>low-cut, blue and pink                   | P702LWZ<br>P702LZH            | S1P HRO SRC       | ~   | ~     | ~          |                     |            | ~   | ~        |
| LOGISTICS/SERVICES/FINISHING WORK |       | STEP TRAIL<br>high-cut, red                            | P70FKZN                       | S1P HRO SRC       | ~   | ~     | ~          |                     |            | ~   | ~        |
| TICS/SER                          |       | STEP AIR<br>low-cut                                    | P702606                       | S3 SRA            |     | ~     |            | ~                   |            |     | ~        |
| LOGIS'                            |       | STEP'ACT OGT<br>low-cut                                | P70ZZNK                       | S3 SRC            | ~   | ~     |            | ~                   |            |     | ~        |
|                                   |       | STEP TWIN II<br>high-cut and low-cut,<br>blue          | P70V3RG<br>P703FSQ            | S1P SRC           |     | ~     | ~          |                     |            |     |          |
|                                   |       | STEP TWIN II<br>high-cut and low-cut,<br>black         | P70KUMT<br>P7090VC            | S3 SRC            |     | ~     |            | ~                   |            |     |          |
| ATILE                             |       | STEP DOCK<br>high-cut and STEP<br>LOG low-cut          | P702797<br>P702798            | S1P SRC           |     | ~     | ~          |                     |            |     | ~        |
| VERSAT                            |       | STEP WORK<br>high-cut and STEP<br>ONE low-cut          | P702713<br>P702712            | S3 SRC            |     | ~     |            | ~                   |            |     | ~        |
| OOR                               |       | STEP MASTER<br>high-cut                                | P702625                       | S3 SRC            |     |       |            | ~                   |            |     |          |
| CONSTRUCTION-OUTDOOR              | ۵.    | STEP ROC EVOL<br>high-cut and STEP<br>MAT EVOL low-cut | P702688<br>P702687            | S3 SRC            |     | ~     |            | ~                   |            |     | ~        |
|                                   |       | STEP DARK<br>high-cut and STEP<br>FORCE low-cut        | P702K2N<br>P702K2M            | S3 SRC            |     | ~     |            | ~                   |            |     | ~        |
|                                   |       | STEP CLIFF<br>brown, high-cut and<br>STEP HILL low-cut | P702K2P<br>P702K20            | S3 SRC CI HI      |     | ~     |            | ~                   |            |     | ~        |

|                      | MODEL |   | CODE P             | EN 20345:<br>2011      | ESD | LIGHT | BREATHABLE | WATER-<br>REPELLENT | WATERPROOF | HRO | 0% METAL |
|----------------------|-------|---|--------------------|------------------------|-----|-------|------------|---------------------|------------|-----|----------|
|                      | s     | TEP RIDGE RANGER                                    | P702K2Q            | S3 SRC CI HI           |     | ~     |            | ~                   |            |     | ~        |
| DOOR                 |       | STEP SEASON   | P702MES            | S3 SRC CI HI           |     | ~     |            | ~                   |            |     | ~        |
| CONSTRUCTION-OUTDOOR |       | STEP SILVER EVOL                                    | P702686            | S3 CI SRC              |     | ~     |            | ~                   |            |     | ~        |
| STRUCTI              |       | STEP INK  | P702MZ4            | S5 CI SRC              |     | ~     |            |                     | ~          |     | ~        |
| CON                  | L     | STEP INK LINED                                      | <b>Р70НК1К</b>     | S5 CI SRC              |     |       |            |                     | <b>v</b>   |     | ~        |
|                      |       | STEP BASALT   | P704HHN            | S5 SRA                 |     |       |            |                     | ~          |     |          |
|                      |       | STEP LITE II high-cut<br>and STEP RUN II<br>low-cut | P702690<br>P702689 | S1P SRC                |     | ~     |            |                     |            |     | ~        |
| INDUSTRY             |       | STEP MOON<br>high-cut and STEP<br>WALK low-cut      | P702K2J<br>P702K2I | S1P SRC                |     | ~     | ~          |                     |            |     | ~        |
| NDNI                 |       | STEP STARK<br>high-cut and STEP<br>COAL low-cut     | P702K2H<br>P702K2G | S3 SRC                 |     | ~     |            | ~                   |            |     | ~        |
|                      |       | STEP PILOT<br>high-cut and STEP<br>ROAD low-cut     | P702K2L<br>P702K2K | S3 HI CI HRO<br>SRC    |     | ~     |            | ~                   |            | ~   | ~        |
| MELDING              |       | STEP MAGMA<br>high-cut                              | P704WIK            | S3 HI CI WR<br>Hro Src |     | ~     |            | <b>~</b>            |            | ~   |          |
| AGRI-<br>FOOD        |       | STEP WHITE<br>low-cut                               | P702MZ5            | S2 SRC                 | ~   | ~     |            | ~                   |            |     |          |
| AG<br>FO             | 1     | STEP CLOUD  | P70810S            | S4 CI SRC              |     | ~     |            |                     | ~          |     |          |
| FIRST                |       | VASA II high-cut<br>and<br>SCALA II low-cut         | P702IW5<br>P702IW4 | S1P FO SR              |     |       |            |                     |            |     |          |
| FIR                  |       | ARGO high-cut<br>and<br>CALYPSO low-cut             | P702J09<br>P702J08 | S3 SRC                 |     |       |            | ~                   |            |     |          |

**O**PSIAL

#### LOGISTICS, SERVICES, FINISHING WORK

#### **STEP LEGEND GREEN LOW SAFETY SHOE S1P**

P702JP1

#### **STEP LEGEND BURGUNDY SAFETY SHOE S1P**

P702LK1





#### Comfort and excellent shock absorption.

#### EN ISO 20345:2011 S1P SRC BS EN IEC 61430-4-3:2018 ESD

Velvet leather/nylon soft and resistant upper. Recycled laces. Very enveloping padding and fit designed for maximum comfort. Antibacterial memory foam insole with Acticare technology. EVA midsole for excellent shock absorption. Composite toe cap resistant to a 200J impact. Non-metallic anti-penetration sole. Rubber outsole. Weight (size 42): 520 g.

Available from the size 2.5 to 13.





shock absorption.

#### EN ISO 20345:2011 S1P SRC BS EN IEC 61430-4-3:2018 ESD

Velvet leather/nylon soft and resistant upper. Recycled laces.

Very enveloping padding and fit designed for maximum comfort. Antibacterial memory foam insole with Acticare technology. EVA midsole for excellent shock absorption.

Composite toe cap resistant to a 200J impact. Non-metallic anti-penetration sole. Rubber outsole. Weight (size 42): 520 g.

Available from the size 2.5 to 13.

# **STEP LEGEND BLUE LOW SAFETY SHOE S1P** P70JMXC 0% MÉTA shock absorption.

#### EN ISO 20345:2011 S1P SRC BS EN IEC 61430-4-3:2018 ESD

Velvet leather/nylon soft and resistant upper. Recycled laces. Very enveloping padding and fit designed for maximum comfort. Antibacterial memory foam insole with Acticare technology. EVA midsole for excellent shock absorption. Composite toe cap resistant to a 200J impact. Non-metallic anti-penetration sole. Rubber outsole. Weight (size 42): 520 g.

Available from the size 2.5 to 13.



#### **STEP LEGEND BLUE HIGH SAFETY SHOE S1P STEP LEGEND BLACK LOW SAFETY SHOE S3** P70166W P702K1F 0% 0% ΜÉΤΔ MÉTA Comfort and excellent Comfort and excellent shock absorption. shock absorption. EN ISO 20345:2011 S1P SRC EN ISO 20345:2011 S3 SRC BS EN IEC 61430-4-3:2018 ESD BS EN IEC 61430-4-3:2018 ESD Full-grain leather upper. Recycled laces. Breathable open-cell lining. Enveloping padding and fit designed for maximum comfort. Antibacterial memory foam insole with Acticare technology. Soft and durable velour/nylon upper. Recycled laces. Very enveloping padding and fit designed for maximum comfort. Antibacterial memory foam insole with Acticare technology. EVA midsole for excellent shock absorption. EVA midsole for excellent shock absorption. Composite toe cap resistant to a 200J impact. Composite toe cap resistant to a 200J impact. Non-metallic anti-penetration sole. Non-metallic anti-penetration sole. Rubber outsole, SRC Rubber outsole. Weight (size 42): 560 g. Weight (size 42): 605 g. Available from the size 2.5 to 13. Available from the size 2.5 to 13.

P702LWZ

#### **STEP TRAIL BLUE LOW SAFETY SHOE S1P**



#### Lightweight and highly breathable sneakers.

#### EN ISO 20345 : 2011 S1P SRC BS EN IEC 61430-4-3 : 2018 ESDS

Outer fabric and lining in highly breathable 3D mesh thanks to the Clima-Grid System.

Perforated PU microinjection on the upper part of the upper with reinforcements on the front, external side, and heel.

Ventilated comfit® AIR insole.

200J fibreglass toecap. IMPULSE.FOAM® midsole providing up to 55% energy return. Metal-free puncture-resistant midsole.

Heat-resistant rubber outsole. Weight for size 42: 540 g.

Available from the size 3.5 to 13.



Metal-free puncture-resistant midsole. Heat-resistant rubber outsole. Weight for size 42: 540 g.

Available from the size 3.5 to 8.

#### LOGISTICS, SERVICES, FINISHING WORK



#### **STEP AIR LOW SAFETY SHOE S3**

P702606



#### Inspired by innovative sports shoe technologies.

#### EN ISO 20345:2011 S3 SRA

Synthetic upper and meshes with inserts, black colour. Recycled laces. Breathable mesh lining. 200J composite safety toecap. Metal-free puncture-resistant midsole. Removable and breathable, anti-bacterial. Nitrile rubber outsole, antistatic. Weight (size 42): 594 g.

Available from the size 3.5 to 13.

#### **STEP TRAIL RED HIGH SAFETY SHOE S1P**



#### EN ISO 20345:2011 S1P SRC BS EN IEC 61430-4-3:2018 ESDS

Outer fabric and lining in ultra-breathable 3D mesh thanks to the Clima-Grid System.

Micro-injected perforated PU on the upper of the upper with reinforcements at the front, on the external side, and the heel. Ventilated comfit® AIR insole.

200J fibreglass toe cap.

Non-metallic anti-penetration sole. IMPULSE.FOAM<sup>®</sup> midsole providing up to 55% energy return. Heat-resistant rubber outsole. Weight for size 42: 590 g.

Available from the size 3.5 to 13.

#### **OGT STEP ACT GREY SAFETY SHOE S3**



Lower-back protector, multiple pockets,

#### EN ISO 20345:2011 S3 SRC BS EN IEC 61430-4-3 : 2018 ESD

Low amagnetic safety shoe. 63%\* recycled upper material (100% recycled PET). Breathable lining in 3D mesh made of 100% recycled PET. Reinforcements resistant to abrasion at the front and back made of 100% recycled PET. Removable insole made of 70% recycled PU foam. 200J impact-resistant fiberglass toe cap. Non-metallic puncture-resistant sole made of 50% recycled material. Antistatic dual-density PU outsole - SRC slip resistance. Complies with ESD requirements according to EN IEC 61340-4-5:2018 standard. Weight (size 42): 530 g. \*excluding toe cap and puncture-resistant sole.

Available from the size 3.5 to 12.

#### **STEP TWIN II BLUE LOW SAFETY SHOE S1P**

P703FSQ



Breathable and lightweight.

#### EN ISO 20345:2011 S1P SRC

Upper made of velour leather. Breathable 3D mesh lining with open cells. Aluminum toe cap. Non-metallic puncture-resistant sole. PU/PU outsole, anti-abrasion, antistatic, lightweight, and flexible. Weight for size 42: 540 g.

Available from the size 2.5 to 12.



Open-cell 3D mesh lining. Aluminum toecap. Non-metallic anti-puncture midsole. PU/PU outsole, anti-abrasion, antistatic, lightweight, and flexible. Weight for size 42: 597 g.

Available from the size 2.5 to 12.

#### **STEP TWIN II BLACK LOW SAFETY SHOE S3**

P7090VC





#### EN ISO 20345:2011 S3 SRC

Upper made of pull-up leather, water-repellent. Breathable 3D mesh lining with open cells. Aluminum toe cap. Non-metallic puncture-resistant sole. PU/PU outsole, anti-abrasion, antistatic, lightweight, and flexible. Weight for size 42: 505 g.

Available from the size 2.5 to 12.



Breathable and lightweight.

#### EN ISO 20345:2011 S3 SRC

Upper made of velour leather. Open-cell 3D mesh lining. Aluminum toecap. Non-metallic anti-puncture midsole. PU/PU outsole, anti-abrasion, antistatic, lightweight, and flexible. Weight for size 42: 590 g.

Available from the size 2.5 to 12.

P70KUMT

#### VERSATILE

#### **STEP LOG LOW SAFETY SHOE S1P**

P702798



Breathable perforated

upper.

Breathable perforated upper.

P702797

0%

MÉTA

P702713

#### EN ISO 20345:2011 S1P SRC

Upper made of perforated gray velour leather. 200J composite safety toe cap. Zero-millimeter non-metallic perforation-resistant midsole. PU2D outsole with undercut heel. Weight for size 42: 713 g.

Available from the size 2.5 to 13.

**STEP WORK HIGH SAFETY SHOE S3** 

#### PU2D outsole with undercut heel. Weight for size 42: 645 g.

EN ISO 20345:2011 S1P SRC

Available from the size 2.5 to 13.

200J composite safety toe cap.

Upper made of perforated gray velour leather.

Non-metallic puncture-resistant midsole.

#### **STEP ONE LOW SAFETY SHOE S3**

P702712



Versatile, lightweight, and comfortable.

#### EN ISO 20345:2011 S3 SRC

Full-grain water-resistant leather upper with a grained finish. Recycled laces. Composite toe cap, lightweight, and non-magnetic, resistant to 200J impact. Anti-penetration composite midsole. PU2D outsole with a lowered heel. Weight (size 42): 620 g.

Available from the size 2.5 to 13.



EN ISO 20345:2011 S3 SRC

Full-grain water-resistant leather upper with a grained finish. Recycled laces. Composite toe cap, lightweight, and non-magnetic, resistant to 200J impact. Anti-penetration composite midsole. PU2D outsole with a lowered heel. Weight (size 42): 640 g.

Available from the size 2.5 to 13.

#### STEP DOCK HIGH SAFETY SHOE S1P

#### STEP MASTER BLACK HIGH SAFETY SHOE S3

P702625



Excellent grip coefficient.

#### EN ISO 20345:2011 S3 SRC

Smooth black water-repellent full-grain leather upper. Perforated composite AIR TOE 200J toecap. Stainless steel anti-puncture midsole. POLYSOFT puncture resistant insole. PU2D outsole, antistatic, anti-twist, and anti-abrasion, with a defined heel. Weight for size 42: 665 g.

Available from the size 5.5 to 14.



**STEP MAT EVOL LOW SAFETY SHOE EVOL S3** 

Reinforced, non-magnetic, antistatic.

P702687

**0%** Métai

#### EN ISO 20345:2011 S3 SRC

Full-grain water-resistant leather upper. Pull-up brown finish.

**STEP FORCE LOW SAFETY SHOE S3** 

Anti-abrasion reinforcements on the toe cap and heel. Safety toe cap resistant to 200J impact and lightweight, flexible, non-magnetic, and thermally insulating composite midsole. Removable POLYSOFT insole, anatomical, and anti-perspirant. Dual-density PU outsole, anti-torsion, anti-abrasion, and antistatic. Weight (size 42): 580g.

Available from the size 4 to 13.

# STEP ROC EVOL HIGH SAFETY SHOE S3 P702688

#### EN ISO 20345:2011 S3 SRC

Full-grain water-resistant leather upper.

Pull-up brown finish.

Anti-abrasion reinforcements on the toe cap and heel. Safety toe cap resistant to 200J impact and lightweight, flexible, non-magnetic, and thermally insulating composite midsole. Removable POLYSOFT insole, anatomical, and anti-perspirant. Dual-density PU outsole, anti-torsion, anti-abrasion, and antistatic. Weight (size 42): 615 g.

Available from the size 4 to 13.



Comfortable, flexible, and lightweight.

#### EN ISO 20345:2011 S3 SRC

Smooth full-grain Buffalo leather upper. Recycled laces. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Metal-free puncture-resistant midsole. Injected PU/PU outsole, treaded and structured for easy walking. Weight for size 42: 670 g.

Available from the size 4 to 13.

#### OPSIAL

#### CONSTRUCTION-OUTDOOR

#### **STEP DARK HIGH SAFETY SHOE S3**

P702K2N

#### **STEP HILL LOW SAFETY SHOE S3**

P702K20

0%

ΜÉΤΔ

Comfortable, flexible, and

lightweight.



Comfortable, flexible, and lightweight.

#### EN ISO 20345:2011 S3 SRC

Water-repellent full-grain buffalo leather with smooth finish. Recycled laces. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Non-metallic anti-puncture midsole. PU/PU injected, grooved, and structured outsole for walking comfort. Weight for size 42: 750 g. Available from the size 4 to 13.

#### EN ISO 20345:2011 S3 SRC HI CI

Buffalo full-grain leather upper with pull-up finish. Recycled laces. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. metal-free puncture-resistant midsole. Injected PU/PU outsole, treaded and structured for easy walking. Weight for size 42: 670 g.

Available from the size 2.5 to 13.

#### **STEP CLIFF HIGH SAFETY SHOE S3**

P702K2P



Comfortable, flexible, and lightweight.

#### EN ISO 20345:2011 S3 SRC HI CI

Water-repellent full-grain buffalo leather with pull-up finish. Recycled laces. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Non-metallic anti-puncture midsole. PU/PU injected, grooved, and structured outsole for walking comfort. Weight for size 42: 700 g.

Available from the size 2.5 to 13.

#### STEP RIDGE SAFETY RANGERS SHOE S3



0%

MÉTA

P702K2Q



Comfortable and lightweight.

#### EN ISO 20345:2011 S3 SRC HI CI

Full-grain Buffalo leather upper with pull-up finish. Recycled laces. Triple reinforced front and back. 200J composite toe cap. Non-metallic anti-perforation sole. PU / PU injected outsole, notched and structured to make walking easier. Weight (size 42): 780 g.

Available from the size 2.5 to 13.

#### **STEP SILVER SAFETY LINED RIGGER BOOT S3**

P702MES



#### EN ISO 20345:2011 S3 SRC HI CI

Water-repellent pull-up Buffalo leather boots. Warm and breathable Thinsulate® lining that absorbs perspiration and keeps the foot dry.

200J composite toecap. Lightweight, flexible, non-metallic, non-magnetic, and thermic anti-penetration sole.

PU outsole with tread pattern and structure to enhance walking comfort.

Weight for size 42: 830 g.

Available from the size 4 to 13.

#### EN ISO 20345:2011 S3 SRC CI

Full-grain water-respellent leather boots. Brown pull-up finish. Polyester insulated thermal lining. AIR-TOE protective toecap. Lightweight, flexible, non-metallic, non-magnetic, and thermic anti-penetration midsole. Dual-density anti-twist, abrasion-resistant, antistatic PU outsole with a defined heel. Weight for size 42: 830 g.

Available from the size 4 to 13.



#### OPSIAL

#### **STEP SILVER EVOL SAFETY RIGGER BOOT S3**



0% MÉTAL

Thermal polyester-lined

inner lining.

#### CONSTRUCTION-OUTDOOR



#### **STEP INK LOW BOOT FUR-LINED S5**



blend.

#### EN ISO 20345:2011 S5 SRC CI

Waterproof polyurethane safety half-boot. Excellent thermal insulation with wool-based faux fur lining. Soft, flexible, and lightweight material. Resistant to sudden temperature changes. PU foam insole. Antistatic and non-magnetic. 200J toe cap and non-metallic puncture-resistant sole. Self-cleaning PU/TPU outsole resistant to abrasion, oils, and hydrocarbons. Weight (size 42): 1.15 kg.

Available from the size 3.5 to 14.

#### **STEP INK PU SAFETY RIGGER BOOT S5**



Waterproof safety rigger boot made of lightweight and flexible BASF polyurethane. Resistant to sudden changes in temperature. Antibacterial textile lining. Orthopedic, antibacterial, removable, and washable footbeds. 200J protective toecap. Non-metallic anti-puncture midsole. Self-cleaning PU/TPU outsole resistant to abrasion, oils, and fuel, with a defined heel. Weight for size 42: 950 g.

Available from the size 3.5 to 13.

#### **STEP BASALT SAFETY BOOT S5**



P702MZ6

#### EN ISO 20345:2011 S5 SRA

Waterproof PVC safety boots S5 SRA. Antistatic. Polyester lining. Steel toe cap resistant to 200J impact. Steel anti-penetration sole complying with EN ISO 20345 standard. PVC outsole - slip resistance coefficient SRA complying with EN ISO 20345 standard. Heel tab at the back for easy removal. Weight (size 42): 110 Kg.

Available from the size 3.5 to 13.

#### INDUSTRY

#### **STEP RUN II LOW SAFETY SHOE S1P**

P702689



Sporty look.

#### EN ISO 20345:2011 S1P SRC

Water-repellent full-grain leather upper, black pull-up finish with breathable textile. Perforated composite 200J AIR TOE safety toecap. Removable, anatomically shaped POLYSOFT insole, breathable.

Metal-free puncture-resistant midsole. PU2D outsole, anti-twist, anti-abrasion, and antistatic.

Weight for size 42: 575 g.

Available from the size 5 to 12.

#### **STEP LITE II HIGH SAFETY SHOE S1P**



Sporty look.

EN ISO 20345:2011 S1P SRC

Water-repellent full-grain leather upper with black breathable textile finish. Perforated composite AIR TOE 200J toecap. Removable, anatomically shaped POLYSOFT insole, breathable. Non-metallic anti-puncture midsole. PU2D outsole, anti-twist, anti-abrasion, and antistatic. Weight for size 42: 585 g.

Available from the size 5 to 12

#### STEP WALK LOW SAFETY SHOE S1P





#### EN ISO 20345:2011 S1P SRC

Breathable suede and nylon leather upper. Recycled laces. Breathable 3D mesh lining with open cells. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Non-metallic anti-puncture midsole. PU/PU injected and structured outsole for walking comfort. Weight for size 42: 600 g.

#### Available from the size 2.5 to 13.





Comfortable, flexible, and lightweight.

#### EN ISO 20345:2011 S1P SRC

Breathable suede and nylon leather upper. Recycled laces. Breathable 3D mesh lining with open cells. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Non-metallic anti-puncture midsole. PU/PU injected and structured outsole for walking comfort. Weight for size 42: 650 g.

Available from the size 2.5 to 13.



P702K2J

#### **INDUSTRY**

#### **STEP COAL LOW SAFETY SHOE S3**





#### EN ISO 20345:2011 S3 SRC

Water-repellent buffalo nubuck leather upper. Recycled laces. Breathable 3D mesh lining with open cells. 200J composite toecap.

Removable, preformed shape memory insole, anatomical, breathable.

Non-metallic anti-puncture midsole. PU/PU injected and structured outsole for walking comfort. Weight for size 42: 600 g.

Available from the size 2.5 to 13.

#### **STEP STARK HIGH SAFETY SHOE S3**



Comfortable, flexible, and lightweight.

#### EN ISO 20345:2011 S3 SRC

Water-repellent buffalo nubuck leather upper. Recycled laces. Breathable 3D mesh lining with open cells.

200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable.

Non-metallic anti-puncture midsole. PU/PU injected and structured outsole for walking comfort. Weight for size 42: 630 g.

**STEP PILOT HIGH SAFETY SHOES S3** 

Available from the size 2.5 to 13.

#### **STEP ROAD LOW SAFETY SHOE S3**

P702K2K

P702K2G





Comfortable, flexible, and lightweight. HRO.

#### EN ISO 20345:2011 S3 SRC CI HI HRO

Smooth full-grain leather upper. Recycled laces. Side bumper and triple front reinforcement. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Metal-free puncture-resistant midsole. Heat and hydrocarbon-resistant rubber/PU injected outsole. Weight for size 42: 600 g.

Available from the size 2.5 to 13.



Comfortable, flexible, and lightweight. HRO. High-top version.

#### EN ISO 20345:2011 S3 SRC CI HI HRO

Smooth full-grain leather upper. Recycled laces. Side bumper and triple front reinforcement. 200J composite toecap. Removable, preformed shape memory insole, anatomical, breathable. Metal-free puncture-resistant midsole. Heat and hydrocarbon-resistant rubber/PU injected outsole. Weight for size 42: 650 g.

Available from the size 2.5 to 13.



P702K2L





P702K2H

0%

#### **STEP MAGMA SAFETY SHOE S3**



#### EN ISO 20345:2011 S3 HI CI WR HRO SRC


Water-resistant suede leather upper with reflective insert for enhanced visibility.

Flame and heat-resistant Kevlar stitching. Quick opening with a wide velcro strap and anti-projection flap. Steel toe cap resistant to a 200J impact. Removable PU foam insole.

Removable PU foam insole. Non-metallic anti-penetration midsole, HRO heat-resistant

outsole (up to 300°C), antistatic PU/rubber sole resistant to oils and hydrocarbons. Weight (size 42): 670g.

Available from the size 4 to 13.



#### AGRI-FOOD



#### FIRST RANGE

#### SCALA II LOW SAFETY SHOE S1P

P702IW4

#### VASA II LOW SAFETY SHOE S1P

P702IW5



#### EN ISO 20345:2011 S1P SRC

High safety shoe, brogue type. Pigmented leather upper. Synthetic fabric lining. Non-woven vamp lining. 200J steel toecap. Steel puncture-resistant midsole. Bi-density PU outsole with defined heel. Weight (size 42): 546g.

Available from the size 2.5 to 13.

#### EN ISO 20345:2011 S1P SRC

High safety shoe, brogue type. Pigmented leather upper. Synthetic fabric lining. Non-woven vamp lining. 200J steel toecap. Steel puncture-resistant midsole. Bi-density PU outsole with defined heel. Weight (size 42): 558g.

Available from the size 2.5 to 13.

#### **CALYPSO LOW SAFETY SHOE S3**

P702J08



#### EN ISO 20345:2011 S3 SRC

Water-resistant pigmented leather upper. Synthetic fabric lining. 200J steel toecap. Steel puncture-resistant midsole. PU Bi-density outsole with a defined heel.

Available from the size 2.5 to 13.

#### **ARGO HIGH SAFETY SHOE S3**

P702J09



#### EN ISO 20345:2011 S3 SRC

Water-resistant pigmented leather upper. Synthetic fabric lining. 200J steel toecap. Steel puncture-resistant midsole. PU Bi-density outsole with a defined heel.

Available from the size 2.5 to 13.



# FALL PROTECTION EQUIPMENT

| FALL ARREST KITS               | 104 |
|--------------------------------|-----|
| FALL ARREST HARNESS            | 105 |
| EQUIPMENT SOLD<br>INDIVIDUALLY | 106 |

E.

#### FALL ARREST KITS

#### LX COMFORT ROOFING KIT




#### LX COMFORT SCAF KIT



#### LX COMFORT PLATFORM KIT



#### LX PREMIUM HARNESS 2PTS



#### LX COMFORT HARNESS 2 PTS



Automatic buckles. 2 attachment points.

#### EN 361: 2002

Comfortable harness that follows body movements and can be quickly put on:

- 2 attachment points (aluminium dorsal D/ textile sternal).

- Aluminum automatic buckles.

- Stretch shoulder straps. Universal size.

Tested up to 140 kg.

Loop type

automatic















SAFETY

**OPSIAL** 

P70VHSE

OPSIAL

PROTECTION

#### EQUIPMENT SOLD INDIVIDUALLY

#### LYNX RETRACTABLE FALL ARRESTER 2M QT+GO





P70EQLG

Compact and lightweight.

#### EN 360 : 2002 / EN 362 : 2004B

Self-retracting, winding fall arrester; 2 m, compact, and lightweight. 1 QT automatic quarter-turn carabiner (16 mm / 25 kN) + 1 large opening hook 60 mm / 22 kN (GO). Suitable for factor of 2 situations. Can be used in both directions. Strap length: 2 m. Resistance > 15 kN. Weight: 1 kg. Certified for a maximum user weight of 140 kg in vertical use and 100 kg in horizontal use. Length

2 m

#### **DOUBLE LANYARD ABSORDER 1,5M QT+2GO**





P705UXY

#### EN 355 : 2002


Double lanyard with shock absorber:

- Cord length 1.5 m, diameter 11 mm.

- 2 GO: wide opening hooks 50.8 mm / 23 kN.
- QT: 1 automatic quarter-turn carabiner 16 mm / 25 kN. Tested up to 140 kg.



1,5 m



106

#### SUSPENSION TRAUMA RELIEF STRAPS (PAIR)

P70H30S



Pair of straps designed to alleviate negative effects caused by prolonged suspension in a harness: - Allows the user to stand, relieving pressure on the tops of the legs and maintain good blood circulation.

- Lightweight, compact, and easy to use.

#### Type of accessory

harness accessories



#### EN 362 : 2004 CLASSE B

Steel automatic quarter-turn carabiner:

- 16 mm opening.

- Weight: 160 g. Automatic screw-lock closure and locking system. - Easy one-handed operation.
- Material

Steel

OPSIAL

#### LYNX BACKPACK



Lightweight Backpack:

- Čan hold harness and lanyard.
- 1 small exterior pocket with zipper.
- Padded back, shoulder straps, and base.
- Adjustable shoulder straps.
- Carrying handle.
   A5 transparent window on the front for document storage.
- Material: Polyester Oxford 600 x 600D.
- Dimensions: 26 x 12 x 40 cm.
- Maximum load: 5 kg.

| Volume |  |
|--------|--|
| 12 L   |  |

LYNX BACKPACK WITH SOLID BOTTOM



Sports Bag Format Storage Bag:

- Very sturdy polyethylene rigid bottom.

- Double zipper.
- 2 carrying handles joined by an ergonomic velcro sleeve.
- A5 transparent window on the front for document storage. Material: Polyester Oxford 600 x 600D bag, polyethylene
- bottom. - Dimensions: 41 x 23 x 26 cm.
- Maximum load: 20 kg.

Volume 24 L

#### **LX16 STEEL TURN LOCKING CARABINER**

P70040X

OPSIAL FALI

PROTECTION

| <br> |
|------|
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
| <br> |
|      |
|      |
|      |
|      |
| <br> |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |

| <br> |  |
|------|--|
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |
|      |  |

#### **O**PSIAL

# OPSIAL

